



Catálogo de **PRODUCTOS**



**NIBI
STUDIOS**



CONTENIDO

- LECTORES DE CÓDIGO DE BARRAS Y CAPTURA DE DATOS
- IMPRESORA DE ETIQUETAS Y REPUESTOS
- SUMINISTROS IMPRESORAS DE ETIQUETAS HONEYWELL, ZKTECO Y ZEBRA
- EQUIPOS MÓVILES
- EQUIPOS PUNTO DE VENTA
- SEGURIDAD
- IMPRESORAS DE CREDENCIALES
- IMPRESORAS MÓVILES DE RECIBOS Y ETIQUETAS
- KIOSKOS Y AUTO CONSULTA
- IMPRESORAS DE BRAZALETES
- EQUIPOS Y SUMINISTROS RFID

LECTORES DE CÓDIGO DE BARRAS Y CAPTURA DE DATOS

ZEBRA



ZEB-LS1203-7AZU0100S, Lector Laser 1D, incluye Stand, cable USB



ZEB-LI2208-SR7U2100S, Lector 1D, incluye Stand, cable USB




ZEB-DS2208, Imager 2D, Interface USB, IP42



ZEB-DS2278-SR7U2100PRW, Lector inalámbrico Imager 2D, Incluye Cuna,



ZEB-DS8108-SR7U2100SGW, Lector Zebra DS8108 - 1D/2D - Negro



ZEB-DS8178-SR7U2100SFW, Lector inalámbrico 1D/2D



ZEB-DS4608, USB KIT: DS4608-SR00007ZZWW SCANNER, CBA-U21-S07ZBR SHIELDED USB CABLE, 20-71043-04R STAND, BLACK

LECTOR MANOS LIBRES Y DE MOSTRADOR DE USO GENERAL



ZEB-DS7708-SR4U2100Z, DS7708-SR Midnight Black, 2D, Checkpoint EAS, USB Kit



ZEB-DS9308-SR4U2100AZW, Codificación 1D, 2D y PDF417, IP52, USB.



SP7201-SH4U2100BGW SP7201-SH Black Sapphire Glass, Checkpoint EAS, Bucket Mount USB KIT: SP7201-SH00004SCWW Scanner, CBA-U21-S07ZBR Shielded USB Cable, BRKT-BM0072-00 Bucket

LECTORES INDUSTRIALES



DS3678-ER3U42A2SVW DS3678-ER RUGGED GREEN VIBRATION MOTOR STANDARD CRADLE USB NO LINE CORD KIT: DS3678-ER2F003VZWW SCANNER, CBA-U42-S07PAR SHIELDED USB CABLE SUPPORTS 12V P/S, STB3678-C100F3WW CRADLE, PWR-BGA12V50W0WW P/S, CBL-DC-451A1-01 DC CBL



DS3678-SR3U42A0SFW DS3678-SR Rugged Green Standard Cradle USB No Line Cord Kit: DS3678-SR0F003VZWW Scanner, CBA-U42-S07PAR Shielded USB Cable Supports 12V P/S, STB3678-C100F3WW Cradle, PWR-BGA12V50W0WW Power Supply and CBL-DC-451A1-01 DC Line Cord

CABLES Y ACCESORIOS

ZEB-CBA-U21-S07ZBR	CABLE UNIV STYLE 3 USD,7, DURA GRY DS8100 /DS200 / DS7700 / DS9308
ZEB-CBA-U01-S07ZAR	CABLE UNIV STYLE 3 USD,7, DURA GRY LI2208 / LS1203 / DS2200
BTRY-DS81EAB0E-00	SPARE BATTERY, 81XX FAMILY
ZEB-BTRY-DS22EAB0E-00	SPARE BATTERY, LITHIUM ION, 18650, DS2278 FAMILY

Honeywell



HSM-1250G-2USB-1-N, USB Kit: 1D, black scanner (1250g-2), flex neck presentation stand (STND-15F03-009-4), USB Type A 3m coiled cable (CBL-500-300-C00) and documentation, assembled in Mexico, TAA compliant.



SM-MK9540-32B41-6, MS9540 Voyager RS232 Black



HSM-MK5145-31A38, MS5145 Eclipse USB, Black, 1D

Voyager 1470g - USB Kit, 2D Imager

HSM-1470G2D-2USB-1, USB kit: Omni-directional, 1D, PDF, 2D, black scanner (1450g2D-2), flexible presentation stand (STND-15F03-009-4), USB Type A 1.5m straight cable (CBL-500-150-S00)

1472G Voyager T™ - Cordless, Omni-Directional 1D Linear Imager; 2D imager



HSM-1472G2D-2USB-5-N, HONEYWELL, VOYAGER XP 1472G,USB KIT,OMNI DIRECCIONAL,1D, PDF,2D, BLACK SCANNER, (1472G2D-2), CHARGE & COMMUNICATION BASE (CCB01-010BT-V1N), USB TYPE A 3.0M STRAIGHT CABLE (CBL-500-300-S00)

1472G Voyager T™ - Cordless, Omni-Directional 1D Linear Imager; 2D imager



HSM-7980G-2USBA-0, USB Kit: 1D, PDF, 2D, USB Type A 3m (9.8') straight cable (CBL-500-300-S00-04), US power supply

HSM-7980G-2SERA-0-6, RS232 SCANNER KIT, 1D, PDF, 2D, 3M (9.8') STRAIGHT CABLE (CBL-000-300-S00-00), LEV 6 US PWR SUPPLY (PS-05-1000W-A-6)

HHP1950 Xenon. Focus imager. Granit



HSM-11960GSR-2USB-N, 1960g USB Kit: General Purpose, 1D, PDF417, 2D, SR focus, Black, USB Type A 3m straight cable (CBL-500-300-S00), NA/MX Only



HSM-1991ISR-3USB-5-N, USB Kit: Wireless. Ultra rugged/industrial. 1D, PDF417, 2D, SR focus, with vib. Red scanner (1991ISR-3), smart battery (BAT-SCN05), charge & comm base (CCB22-100BT-03N) USB Type A 3m straight, 5v host power cable (CBL-500-300-S00). Assembled in Mexico. Pdf417, 2D, Sr Focus,Red Scanner(1991Isr-3)



HSM-STND-22F00-001-6 Stand: gray, 22cm (9") heighth, flexible rod, large oval weighted base, Xenon Ultra cup.

Orbit HF680 2D Hands-Free Area-Imaging Scanner



HSM-HF680-R1-2USB GEN7 Hand-free scanner Kit, 2D, Black; NUEVO 2,7m USB host cable (50152257-001), global SKU

CABLES Y ACCESORIOS

HSM-59-59235-N-3	Cable:MK7120 USB, black, Type A, 2.9m (9.5'), straight, host power
HSM-5S-5S000-3	Cable:MK7820 RS232, black, DB9 female, 2.9m (9.5'), straight, 12V external power

CABLES Y ACCESORIOS

HSM-5S-5S235-3	Cable MK7820 : USB, black, Type A, 2.9m (9.5'), straight, 12V external power
HSM-CBL-020-300-C00	Cable: 1200g RS232 (5V signals), black, DB9 Female, 3m (9.8'), coiled, 5V external power with option for host power on pin 9
HSM-CBL-500-300-S00	Cable: USB, black, Type A, 3m (9.8') modelo: 1900/1200G /1250g/ 7190/7980/1950/1450 , straight, 5V host power
HSM-54-54165-3	Cable USB7625-7120
PS-05-1000W-A-6	Power supply: Type A plug (NA), 1.0A @ 5.2VDC, 90-255VAC @ 50-60Hz, LV6, for use with Granit and Granit XP bases CCB22, COB22, CCB05, COB05, CCB02, COB02, Voyager CCB00, and Solaris 7980g
HSM-BAT-SCN01	BATTERY 1202 & 1452

unitech



UNI-MS836-SUCB00-SG LASER SCANNER WITH USB

UNI-MS838-2UCB0S-SG 2D, USB, with USB cable and stand

UNI-MS838-2UBB0D-SG Imager 2D, inalámbrico 2.4GHz, 100 metros, IP54

UNI-5200-900014G MS838 hands free stand

UNI-MS840-SUPBGC-SG, 1D, Barcode Scanner, Ms840P Cordless, Scanner, Laser, Rf 2.4 Ghz, Usb Dongle, Cradle

UNI-MS822-2UBU02-SG MS822B, 2D SR Imager, Bluetooth Wireless, with cradle integrated with 2.4G Dongle and cable

UNI-MS626-PUBB00-SG MS626Plus, Ring Scanner, 2D, BT, USB type C

UNI-WD200-0A6FUM3G WD200, WiFi, BT incluye batería y cable

UNI-3210-900026G WD200 Wrist Holder with wrist strap and protection pad

UNI-MS912-2UBB00-SG Lector pocket 2D, 2MB, con Bluetooth y cable USB para carga. Garantía: 1 año.

UNI-MS852-0UBB0C-SG MS852B Extra Long range 2cm-2mt, 2D, Cuna, Cable USB con protective case

UNI-TS100-SUCB00-SG TS100 Desktop 2D Scanner

UNI-1550-905923G TS100 USB Cable

UNI-RP902-43A8S0G UHF RFID Reader, Wireless, Pocket, 902-928 MHz (N.America), UHF, AMS AS3993, America, USB+BT, 1M, 0 ports, Green Product.

DATALOGIC



DAT-QW2120-BKK1S DATALOGIC ADC QUICKSCAN LITE IMAGER, BLACK, USB INTERFACE



DAT-QW2520-BKK1S DATALOGIC, QUICKSCAN QW2520, KIT, 2D IMAGER, USB INTERFACE, BLACK, INCLUDES SCANNER AND USB CABLE 90A052258, STAND STD-QW25-BK



DAT-90A052044 - DAT90A052065 CABLES USB QW2120



DAT-GD4430-BKK1 GRYPHON I GD4430, KIT, USB, 2D IMAGER




DAT-90A052258 - Cable, USB, Type A, PVCW, Straight, 2M, Black




DAT-M3511-010210-0064, Datalogic LA MAGE-LLAN 3510HSI SAPPHIRE PLATTER DEFAULT CONFIG 1D/2D SCAN




DAT-9320443100-0202131 Datalogic Adc, M9300I, S/S, Metric With Display, Med Sapphire Platter W/Fixed Produce Rail, Flange Mount, Mexico Single Interval, Single Display, Us Std Power Brick, Single Rs232 Cable (Single Cable)



DAT-90A052135 Cable, USB, Type A, External Power, 4.5 m/15 ft



DAT-90A052121 SERIAL SINGLE 9800i - 9800i, CABLE, RS, ICL PC 15 "



DAT-90A052138 SERIAL DUAL 9800i CABLE, RS, PC SCALE, FEMALE 15"

ZKTeco

NUEVOS SCANNERS 1D / 2D



ZK-B201C-KT 2D BARCODE QR CODE SCANNER PIXEL SENSOR: 640 X 480 CMOS DECODING DEPTH OF FIELD: 0-15CM DECODING SPEED: 25CM/S COMMUNICATION MODE: USB" (includes ZK-BS stand)

ZK-B203S 2D WIRELESS IMAGE BARCODE SCANNER WITH BASE DPI: 640 X 480 PIXELS FIELD OF VIEW: HORIZONTAL: 41°; VERTICAL: 31° DECODING DEPTH OF FIELD: 3-30CM (DEPENDS ON BARCODE) BATTERY: 2000MAH COMMUNICATION MODE: 2.4GHZ WIRELESS WIRELESS DISTANCE: 60M MAX

ZK-B101C-KT 1D Laser Barcode Scanner Light Source: Visible laser diode, 650nm Decoding Depth of Field: 0-15cm Communication Mode: (Standard) USB Decoding Speed: 100 times/s

ZK-B103C-KT 1D Wireless Laser Barcode Scanner Light Source: Visible laser diode, 650nm Decoding Depth of Field: 0-15cm Communication Mode: (Standard) 2.4GHz Decoding Speed: 100 times/s Wireless Distance: 150m Max. Battery: 1600mAh (stand included)

Honeywell

Gainscha

CITIZEN

EPSON

ZEBRA

IMPRESORA DE ETIQUETAS Y REPUESTOS

Honeywell IMPRESORAS DE CODIGO DE BARRAS



HSM-PC42TPE01372 PC42T, PLUS USB, SERIAL, ETHERNET, 0.5 INCH CORE, US, RIBBON SAMPLE, PC

HSM-203-186-201 FUENTE DE PODER PARA PC42

HSM-50125125-001FRE Honeywell, Spare Part/Printhead, Pc42, Printhead(Z3), Wide Glaze, Asm

50123301-002FRE FRE,RIBBON ACCESSORIES, 0.5IN, TIANMA

HSM-50120013-001FRE E PC42T LINERLESS PLATEN ROLLER



HSM-PM42200002 203DPI, TABLETOP PRINTER Eng display Font, US Power Cord



HSM-50126706-001FRE PM42, Printhead, 203DPI

HSM-PX940V301000060202 Verifier with perpetual license, full touch display ethernet USB, serial, low power VERIFICADOR DE CÓDIGOS



HSM- PD43A031 0001020 PD43A TT 203dpi, Colour display, Ethernet, US power cord

Gainscha

IMPRESORAS DE CÓDIGOS DE BARRAS



GAIN-GI-2408TM EMPower 4.3" full-color LCD screen for intuitive and convenient settings.

Industrial Barcode printer/US plug. 400 MHz 32-bit ARM9 processor with 128 MB SDRAM, 128 MB Flash memory. High print speed up to 8 inches per second. Connectivity USB, RS232, Ethernet. Connectivity Wi-Fi. Print speed 203mm (8")/second. Label capacity up to 203mm (8")OD. Ribbon capacity 450m. Firmware emulates TSPL, EPL, ZPL, ZPL II, DPL. Free Windows driver and Bartender label design software

GAIN-20105-00315 WASH CARE LABEL CUTTER FOR GI-2408TM



GAIN-GA-2408T

Barcode printer/US Plug. 400 MHz 32-bit ARM9 processor with 128MB SDRAM,128MB Flash memory. Internal Ethernet, USB 2.0 Hi-Speed(480Mbps), USB host support HID, RS-232. Optional Wi-Fi(802.11b/g/n), Bluetooth support Android and iPhone. Print speed 203mm (8")/second Label capacity up to 127mm (5")OD. Ribbon capacity 300m. Firmware emulates TSPL, EPL, ZPL, ZPL II, DPL. Free Windows driver and Bartender label design software



GAIN-GS-2406TE

Internal Ethernet, USB 2.0 Hi-Speed(480Mbps), USB host support HID, RS-232 4" Barcode printer TT plug. 4 Inch Desktop TT Barcode Printer GS-2406T. 400 MHz 32-bit ARM9 processor with 64MB SDRAM, 32MB Flash memory (128 MB Flash memory optional). USB 2.0 Hi-Speed (480Mbps), USB host support HID. Optional Wi-Fi(802.11b/g/n), Bluetooth support Android and iPhone. Print speed 152.4mm (6")/second.Label capacity up to 127mm (5")OD. Ribbon capacity 300m. Firmware emulates TSPL, EPL, ZPL, ZPL II, DPL. Free Windows driver and Bartender label design software



GAIN-GS-2208D

2" Barcode printer DT/US Plug 400 MHz 32-bit ARM9 processor with 64 MB SDRAM, 32 MB Flash (128 MB Flash memory optional). Internal Ethernet, USB 2.0 Hi-Speed(480Mbps), USB host support HID. Optional Wi-Fi(802.11b/g/n), Bluetooth support Android and iPhone. Print speed 203mm (8")/second. Label capacity up to 127mm (5")OD. Firmware emulates TSPL, EPL, ZPL, ZPL II, DPL. Free Windows driver and Bartender label design software

CINTA 350M - GA2408T/ GS2406T

UNIS-01200GA11035 WAX RIBBON 110mmx350m 1200 STANDARD

CORTADORES

GAIN-20105-00315 WASH CARE LABEL CUTTER FOR GI-2408TM

CABEZALES Y RODILLOS

GI-2408T Printhead unit 203dpi, 4inch, industrial

GI-2408T Platten Roller unite 4inch, industrial

GA-2408T Printhead unit 203dpi, 4inch, desktop

GA-2408T Platten Roller unite 4inch, desktop

GS-2408T Printhead unit 203dpi, 4inch, desktop

GS-2406T Platten Roller unite 4inch, desktop

GS-2208D Printhead unit 203dpi, 4inch, desktop

GS-2208D Platten Roller unite 4inch, desktop

IMPRESORA DE ETIQUETAS Y REPUESTOS

CITIZEN IMPRESORAS DE ETIQUETAS



CT-CL-E321XUBNNA, Barcode Label TT 203 DPI,USB, LAN & Serial BK



CT-CL-S700IINNU-HC CL-S700 Typell, DT/TT, 203DPI, w/**Rotary Cutter**, Gray

CT-JN09802-00F UNIT, PRINT HEAD (CL-S700)

CT-JN98911-OM Cutter, Heavy Duty Rotary, CL-S700/700II

JN28801-0 Unit, Roller Platen

EPSON IMPRESORAS DE ETIQUETAS

CW-C4000

C31CK03101 CW-C4000 COLOR LABEL PRINTER (IMPRESORA)

C13T52L120 SJIC41P(BK) C4000 GLOSS BLACK INK (TINTA)

C13T52L520 SJIC41P(MK) C4000 MATTE BLACK INK (TINTA)

C13T52L220 SJIC41P(C) C4000 CYAN INK (TINTA)

C13T52L320 SJIC41P(M) C4000 MAGENTA INK (TINTA)

C13T52L420 SJIC41P(Y) C4000 YELLOW INK (TINTA)

C33S021601 SJMB4000 C4000 MAINTENANCE BOX (CONSUMIBLE)



TM-C7500G

C31CD84311 TM-C7500GColorGloss yMediaLabelPrinter (IMPRESORA)

C33S020635 SJIC30P(K):BLACK INK CART TM-C7500G (TINTA)

C33S020636 SJIC30P(C):CYAN INK CART TM-C7500G (TINTA)

C33S020637 SJIC30P(M):MAGENTA INK CART TM-C7500G (TINTA)

C33S020638 SJIC30P(Y):YELLOW INK CART TM-C7500G (TINTA)

C33S020596 SJMB7500:MAINTENANCE BOX FOR TM-C7500 (CONSUMIBLE)

C32C815471 TU-RC7508-Rebobinador ExternoTM-C7500 (ACCESORIO)



CW6000 y C6500

C31CH76101 C6000Au 4" Auto Cutter (IMPRESORA)

C31CH77101 C6500Au 8" Auto Cutter (IMPRESORA)

C13T44B120 SJIC35P(BK) Black ink cartridge for C6000/6500 (TINTA)

C13T44B520 SJIC35P(MK) Black Matte ink cartridge for C6000/6500 (TINTA)

C13T44B220 SJIC35P(C) Cyan ink cartridge for C6000/6500 (TINTA)



C13T44B320 SJIC35P(M) Magenta ink cartridge for C6000/6500 (TINTA)

C13T44B420 SJIC35P(Y) Yellow ink cartridge for C6000/6500 (TINTA)

C33S021501 SJMB60/65 Maintenance box for C6000/6500 (CONSUMIBLE)

C32C881101 Spare Spindle 4" (ACCESORIO)

C32C881301 Spare Spindle 8" (ACCESORIO)

IMPRESORAS DE CÓDIGO ZEBRA

ZEBRA ESCRITORIO / DESKTOP

ZEB-ZD22042-D01G00EZ	Direct Thermal Printer ZD220; Standard EZPL, 203 dpi, US Power Cord, USB
ZEB-ZD22042-T01G00EZ	Thermal Transfer Printer (74M) ZD220; Standard EZPL, 203 dpi, US Power Cord, USB
ZEB-ZD23042-D01G00EZ	IMPRESORA ZEBRA ZD230 Direct Thermal, Standard EZPL, 203 DPI, USB
ZEB-ZD23042-301G00EZ	ZD230 - THERMAL TRANSFER PRINTER STANDARD 203 dpi (reemplazo GT800)
ZEB-ZD23042-301C00EZ	ZD230 - THERMALTRANSFER, EPL AND ZPL, USB, ETHERNET 10/100
ZEB-ZD4A042-301M00EZ	ZEBRA AIT, PRINTER, ZD421, THERMAL TRANSFER PRINTER (74/300M), 203 DPI, USB, US B HOST, MODULAR CONNECTIVITY SLOT, BTLE5, US CORD, EZPL.
ZEB-ZD4A042-301W02EZ	Thermal Transfer Printer (74/300M) ZD421; 203 dpi, USB, USB Host, Modular Connectivity Slot, 802.11ac, BT4, ROW, US Cord, Swiss Font, EZPL

ZEBRA INDUSTRIALES

ZEB-ZT23142-T01000FZ	TT Printer ZT231; 4", 203 dpi, Thermal Transfer, Tear, US Cord, USB, Serial, Ethernet, BTLE, USB Host, EZPL
ZEB-ZT23142-T21000FZ	TT Printer ZT231; 4", 203 dpi, Thermal Transfer, Cutter with Catch Tray, US Cord, USB, Serial, Ethernet, BTLE, USB Host, EZPL.
ZEB-ZT41142-T010000Z	IMPRESORA ZEBRA ZT411, USB 2.0, RS-232 Serial, 10/100 Ethernet, Bluetooth 4.1, USB Host, EPL 3
ZEB-ZT41142-T210000Z	IMPRESORA ZT411; 4", 203 dpi, US Cord, Serial, USB, 10/100 Ethernet, Bluetooth 4.1/MFi, USB Host, Cutter w/ Catch Tray, EZPL
ZEB-ZT41142-T4X0000Z	TT Printer ZT411; 4", 203 dpi, US Cord, Serial, USB, 10/100 Ethernet, Bluetooth 4.1/MFi, USB Host, Peel w/ Full Rewind, EZPL
ZEB-ZT42162-T010000Z	TT Printer ZT421; 6", 203 dpi, US Cord, Serial, USB, 10/100 Ethernet, Bluetooth 4.1/MFi, USB Host, EZPL
ZEB-ZT61042-T010100Z	TT, ZT610; 4", 203 DPI, US CORD, SERIAL, USB, GIGABIT ETHERNET, BLUETOOTH 4.0,
ZEB-ZT61042-T110100Z	TT, ZT610; 4", 203 DPI, US CORD, SERIAL, USB, GIGABIT ETHERNET, BLUETOOTH 4.0, CUTTER

CONSUMIBLES IMPRESORAS ZEBRA

ACCESORIOS

ZEB-79866M	BANDA PARA ZM400
ZEB-P1012845-011	BANDA PARA ZM400
ZEB-105934-053	FUENTE DE PODER GK 420, T,D
ZEB-P1079903-026	FUENTE DE PODER ZD410/ZD420
ZEB-P1080383-704	Kit, Power Supply, 60W, 24V (power cord not included), ZD220 & ZD230 Direct Thermal and Thermal Transfer
ZEB-79848M	KIT MAINT MEDIA SENSOR ZM400 (END OF SALE)
ZEB-P1037974-069	Kit, Cutter Upgrade, ZT200 Series
ZEB-P1083320-134	Kit Cutter Upgrade ZT610, ZT610R with PCBA P1081294-02 (V25 FW)
ZEB-P1083320-134	Kit Cutter Upgrade ZT610, ZT610R with PCBA P1081294-02 (V25 FW)
ZEB-P1058930-189	Kit, Cutter Upgrade, ZT410, ZT411
ZEB-P1058930-105	Kit, Peel Assembly, ZT410
ZEB-P1018252	Kit Cutter Upgrade 110Xi4 & 105SLPlus

SOFTWARE IMPRESORAS ZEBRA

ZEB-P1109127	ZEB. DESIGNER PRO 3 SOFTWARE LABEL DESING APPLICATION (LINK)
---------------------	--

MANTENIMIENTO

ZEB-105950-035	CLEANING PENS
-----------------------	---------------

CABEZALES, RODILLOS

ZEB-G105910-048	PRINT HEAD GC420D / GC420T / TLP2844
ZEB-105934-038	PRINT HEAD GK42 T
ZEB-105934-037	PRINT HEAD GK42 D
ZEB-P1080383-226	PRINT HEAD ZD420T ZD620T 203 dpi
ZEB-P1037974-010	PRINT HEAD ZT230
ZEB-P1083320-010	PRINTHEAD 203 DPI ZT610
ZEB-P1058930-009	PRINT HEAD ZT410 /ZT411 203 DPI
ZEB-P1058930-010	PRINT HEAD ZT410, 300 DPI
ZEB-P1058930-012	PRINT HEAD ZT420
ZEB-P1115687	Kit, 203 dpi Printhead, ZD220/ZD230/ZD888 DT
ZEB-P1115688	Kit, 203 dpi Printhead, ZD220/ZD230/ZD888 TT
ZEB-79800M	PRINT HEAD ZM400
ZEB-79803M	PRINT HEAD ZM600
ZEB-P1025950-019	PRINT HEAD GT800
ZEB-P1004230	PRINT HEAD 110Xi4. 203 DPI
ZEB-105910-055	PLATEN GC420T
ZEB-105910-001	PLATEN GC402D
ZEB-105934-034	PLATEN GK420D
ZEB-P1027135-040	PLATEN GK420T
ZEB-P1080383-413	PLATEN ZD420D ZD620D 203 dpi

CONSUMIBLES IMPRESORAS ZEBRA

CABEZALES, RODILLOS

ZEB-P1080383-222	PLATEN ROLLER ZD420T ZD620T 203 dpi
ZEB-P1037974-028	PLATEN ROLLER ZT230 / ZT231
ZEB-P1025950-008	PLATEN ROLLER GT800
ZEB-P1058930-080	PLATEN ROLLER ZT410 / ZM400 / ZT411
ZEB-P1058930-081	PLATEN ROLLER ZT420
ZEB-P1058930-081	PLATEN ROLLER ZT420
ZEB-P1083320-032	PLATEN ROLLER ZT610
ZEB-P1080383-700	Kit, Platen Roller with bearings, ZD220, ZD230, ZD888 Direct Thermal
ZEB-P1080383-703	Kit, Platen Roller with bearings, ZD220, ZD230, ZD888 Thermal Transfer
ZEB-G41011M	PLATEN ROLLER 110XI
ZEB-P1112640-218	Kit, Printhead 203 dpi, ZD421T
ZEB-P1112640-216	KIT, PLATEN ROLLER 203 dpi, ZD421T
ZEB-P1080383-415	Kit, Printhead 203 dpi, ZD420D ZD620D
ZEB-P1100266-003	300dpi Printhead for the ZD510 Healthcare Wristband Printer
ZEB- P1100266-008	Platen Roller 300dpi Healthcare ZD510

CABEZALES, RODILLOS

ZEB-P1112640-240	Kit, Printhead 203 dpi, ZD621T RFID
ZEB-P1112640-251	Kit, Platen Roller 203 dpi, ZD621T RFID
ZEB-P1006066	Kit Main Drive Belt 110Xi4 (203 and 300dpi), 140Xi4 (203dpi), 170Xi4 (203 and 300dpi), 220Xi4 (203dpi) & 105SLPlus (203 & 300dpi)
ZEB-P1083320-056	Kit Drive Belt for the Main Drive System or Rewind Drive System, Works for all dpi, ZT600 Series
ZEB-P1109578-002	Kit, Repair, Printhead Assembly ZQ521



SUMINISTROS IMPRESORAS DE ETIQUETAS

CONSUMIBLES IMPRESORAS ZEBRA

ETIQUETAS TERMOTRANSFERENCIA

HSM-HRLT07128	Thermal Transfer Paper Label 5.1x2.5, 2490 label per roll (Desktop)
HSM-HRLT07129	Thermal Transfer Paper Label 10.2x5.1, 1320 label per roll (Desktop)
HSM-E09603	Thermal Transfer Paper Label 10.2x7.6, 2000 label per roll (Tabletop)

CINTAS DE CERA

HSM-224124	TMX1500 Wax Ribbon - Best 63,5 MM X 74 M
HSM-224126	TMX1500 Wax Ribbon Best 110 MM x 74 M
HSM-224119	TMX1500 Wax Ribbon Best 110 MM x 450 M
HSM-10234318	ThermaMAX™ TMX1200 Wax Ribbon - Good (4.33inx1476ft/110mm x 450m)
HSM-224108	HONEYWELL-DATAMAX PIONEER MEDIA, CONSUMABLE, GPR+ WAX RIBBON, 6" X 1476', 1" CORE, STATIONARY - M/I/H CLASS COMPATIBLE, 12 ROLLS PER CASE, PRICED PER ROLL
HSM-31233201	HONEYWELL-INTER MEC CINTA DE CERA TMZ2000 - 85MMX74MT

ETIQUETAS TERMICAS

HSM-HRLD08101	Direct Thermal Paper Label 3.8x2.5, 2374 label per roll (Desktop) con pre-corte
HSM-HRLD08103	Direct Thermal Paper Label 10.2x7.6, 841 label per roll (Desktop)
HSM-HRLD08104	Direct Thermal Paper Label 7.6x2.5, 2336 label per roll (Desktop)
HSM-E21016	Duratherm II Direct Thermal paper label 10,2x15,2 110 lab x rollo permanent Adhesivo

BRAZALETES TERMICOS

HSM-INBND27556	Duratherm™ Direct Thermal Film Wristband (formerly SafeD-Band or Inband) 1 x 8.125in, 200 brazaletes por rollo
HSM-INBND27864-W	Duratherm™ Direct Thermal Film Wristband (formerly SafeD-Band or Inband) 1 x 11in, 150 brazaletes por rollo

IMPRESORAS DE ESCRITORIO

ETIQUETAS TERMICAS

10041844 10034972	ETIQUETAS DE 3.8 X 2.5, 2617 ET/ROLLO T E R M I C A S Z-ESSENCIALS 540D
10030675	ETIQUETAS DE 3.8 X 2.5 x 2, 4748 E T / R O L L O TERMICAS 1000D
10030676 10041869	ETIQUETAS DE 3.2 X 2.5 X 3, 7122 E T / R O L L O TERMICAS 1000D
ETN-4.0X1.0T	ETIQUETA TERMICA 4.0X1.0 (2000 ET / ROLLO)
10041843 10036301	ETIQUETAS DE 5.1 X 2.5, 2617 ET/ROLLO T E R M I C A S Z-ESSENCIALS 540D
10017349	ETIQUETAS DE 5.7 X 2.7, 2213 ET/ROLLO TERMICAS CONO DE 1"
10034973	ETIQUETAS DE 7.6 X 2.5, 2336 ET/ROLLO TERMICAS
10018151	ETIQUETAS DE 8.0 X 4.0, 1557 ET/ROLLO TERMICAS
10036302	ETIQUETAS DE 10.2 X 5.1, 1256 E T / R O L L O TERMICAS
10034971	ETIQUETAS DE 10.2 X 7.6, 841 ET/ROLLO TERMICAS
10017355	ETIQUETAS DE 10.2 X 10.2, 637 ET/ROLLO TERMICAS

IMPRESORAS INDUSTRIALES-TABLET

ETIQUETAS TERMICAS

88686	ETIQUETAS DE 3.8 X 2.5, 5120 ET/ROLLO TERMICAS PREMIUM
10036287	ETIQUETAS DE 5.1 X 2.5, 5219 ET/ROLLO TERMICAS
10000303	ETIQUETAS DE 7.6 X 2.5, 5500 ET/ROLLO TERMICAS
10028312	ETIQUETAS DE 7.6 X 7.6, 1880 ET/ROLLO TERMICAS
10003051	ETIQUETAS DE 10.2 X 5.1, 2760 ET/ROLLO TERMICAS
10000302	ETIQUETAS DE 10.2 X 7.6, 2000 ET/ROLLO TERMICAS
10028311	ETIQUETAS DE 10.2 X 10.2, 1425 ET/ROLLO TERMICAS
10023701	ETIQUETAS DE 10.2 X 20.4, 750 ET/ROLLO TERMICAS

IMPRESORAS DE ESCRITORIO

ETIQUETAS TERMOTRANSFERENCIA	
10037427	ETIQUETAS DE 3.8 X 2.5, 2617 ET/ROLLO TERMOTRANSFERENCIA 1500T
10030674	ETIQUETAS DE 3.8 X 2.5 x 2, 5256 ET/ROLLO TERMOTRANSFERENCIA 1500T
10005850	ETIQUETAS DE 5.1 X 2.5, 2490 ET/ROLLO T E R M O T R A N S PREMIUM
10017352	ETIQUETAS DE 7.6 X 2.5, 2494 ET/ROLLO T E R M O T R A N S PREMIUM
10025215-1	ETIQUETAS DE 7.6 X 5.1, 900 ET/ROLLO TERMOTRANS
10036290	ETIQUETAS DE 10.2 X 5.1, 1320 ET/ROLLO T E R M O T R A N S PREMIUM
10036291	ETIQUETAS DE 10.2 X 7.6, 890 ET/ROLLO T E R M O T R A N S PREMIUM
10017353	ETIQUETAS DE 10.2 X 10.2, 680 ET/ROLLO T E R M O T R A N S PREMIUM
10005853	ETIQUETAS DE 10.2 X 15.2, 460 ET/ROLLO TERMOTRANS 1500T

IMPRESORAS INDUSTRIALES-TABLET

ETIQUETAS TERMOTRANSFERENCIA	
10041845 10034974	ETIQUETAS DE 3.8 X 2.5 X 2, 9978 ET/ROLLO T E R M O T R A N S Z-PERFORM 1500T
10000288	ETIQUETAS DE 5.1 X 2.5, 5500 ET/ROLLO TERMOTRANS
10036286	ETIQUETAS DE 7.6 X 2.5, 5500 ET/ROLLO TERMOTRANS
10025215	ETIQUETAS DE 7.6 X 5.1, 2750 ET/ROLLO TERMOTRANS
10018351	ETIQUETAS DE 10.2 X 5.1, 3000 ET/ROLLO TERMOTRANS - 4 x caja
10018349	ETIQUETAS DE 10.2 X 7.6, 2000 ET/ROLLO TERMOTRANS 10% CAJA X 4 UNI
10021230	ETIQUETAS DE 10.2 X 10.2, 1500 ET/ROLLO TERMOTRANS
10018340	ETIQUETAS DE 10.2 X 15.4, 1000 ET/ROLLO TERMOTRANS
10013664	ETIQUETAS DE 15.2 X 5.1, 2750 ET/ROLLO TERMOTRANS
10015701	ETIQUETAS DE 15.2 X 15.2, 1000 ET/ROLLO TERMOTRANS
10021228	ETIQUETAS DE 10.2 X 20.4, 750 ET/ROLLO TERMOTRANS

IMPRESORAS DE ESCRITORIO

IMPRESORAS INDUSTRIALES-TABLET

ETIQUETAS DE ACTIVOS FIJOS (adhesivo Void)

ETIQUETAS ESPECIALES

10002785 ETIQUETAS DE 3.8 X 2.5, POLY TRANS SILVER VOID 2260 ET/ROLLO

10012681 TAGS DE CARTON DE 5.1 X 7.6, 1618 ET/ROLLO TERMOTRANS

10012684 ETIQUETAS DE 5.1 X 1.9, POLY TRANS SILVER VOID 2911 ET/ROLLO

67251 TAGS DE CARTON DE 3.2 X 7.6, 3750 ET/ROLLO TERMOTRANS

10000254 ETIQUETAS DE 5.1 X 2.5, POLY TRANS SILVER VOID 2260 ET/ROLLO

10029159 ETIQUETAS DE 7.0 X 3.2, 4560 ET/ROLLO, SILVER, POLIPROPILENO PARA EXTERIORES

10034984 ETIQUETAS DE 6.4 X 2.5, POLY TRANS SILVER VOID 2260 ET/ROLLO

73012 ETIQUETAS DE 10.2 X 6.4, 2560 ET/ROLLO, SILVER, POLIPROPILENO PARA EXTERIORES

ETIQUETAS ESPECIALES

10029020 ETIQUETA DE 10.2x15.2, 422 ETQ/ROLLO TERMICA CON ADHESIVO REMOVIBLE

18928 ETIQUETAS DE 5.1X 1.2, 3780 ET/ROLLO POLIPROPILENO BLANCO; PARA DESKTOP

18924 ETIQUETAS DE 7.6 X 2.5, 2100 ET/ROLLO, POLIPROPILENO; PARA DESKTOP

10015699 ETIQUETAS DE 5.1X 2.5, POLIPROPILENO, 2537 ET/ROLLO; PLATEADO PARA DESKTOP

10010064 ETIQUETAS DE 5.6 X 1.27, 3510 ET/ROLLO, POLIPROPILENO BLANCO PARA JOYAS

10030677 ETIQUETAS DE 5.1 X 2.5, 2676 ET/ROLLO POLIPROPILENO TERMICO BLANCO 4000D

IMPRESORAS DE ESCRITORIO

CINTAS DE CERA	
01600GS06407	Wax Ribbon, 64mmx70m (4.33inx229ft), 1600; Standard, 12mm (0.5in) core, 24/boxSTK/24 RIB WAX 64MM x 70M
01600GS08407	Wax Ribbon, 84mmx70m (3.31inx229ft), 1600; Standard, 12mm (0.5in) core, 24/boxSTK/24 RIB WAX 84MM x 70M
01600GS11007	Wax Ribbon, 110mmx70m (4.33inx229ft), 1600; Standard, 12mm (0.5in) core, 24/boxSTK/24 RIB WAX 110MM x 70M
06000GS06407	CINTAS DE CERA, 64 MM X 74 M
06000GS08407	CINTAS DE CERA, 84 MM X 74 M
06000GS11007	CINTAS DE CERA, 110 MM X 74 M 48 unidades x caja
05319GS06407	CINTAS DE CERA, 64 MM X 74 M 05319
05319GS08407	CINTAS DE CERA, 84 MM X 74 M
05319GS11007	CINTAS DE CERA, 110 MM X 74 M

IMPRESORAS INDUSTRIALES-TABLET

CINTAS DE CERA	
01600BK08345	TAGS DE CARTON DE 5.1 X 7.6, 1618 ET/ROLLO TERMOTRANS
01600BK11045	Wax Ribbon, 110mmx450m, 1600; Standard, 25mm (1in) core, 18/box
01600BK15645	Wax Ribbon, 156mmx450m, 1600; Standard, 25mm (1in) core, 18/box
06000BK06045	CINTAS DE CERA, 60 MM X 450 M
06000BK08345	CINTAS DE CERA, 83 MM X 450 M
06000BK11045	CINTAS DE CERA, 110 MM X 450 M / 24 por caja
06000BK15645	CINTAS DE CERA, 156 MM X 450 M
02000BK04045	CINTAS DE CERA, 40 MM X 450 M
02000BK06045	CINTAS DE CERA, 60 MM X 450 M
02000BK08345	CINTAS DE CERA, 83 MM X 450 M
02000BK11045	CINTAS DE CERA, 110 MM X 450 M
02000BK15645	CINTAS DE CERA, 156 MM X 450 M



Honeywell

ZKTeco

IMPRESORAS DE ESCRITORIO

CINTAS DE CERA - RESINA

06100GS06407	CINTAS DE CERA - RESINA, 64 MM X 74 M
06100GS08407	CINTAS DE CERA - RESINA, 84 MM X 74 M
06100GS11007	CINTAS DE CERA - RESINA, 110 MM X 74 M
03200GS06407	CINTAS DE CERA - RESINA, 64 MM X 74 M
03200GS08407	CINTAS DE CERA - RESINA, 84 MM X 74 M
03200GS11007	CINTAS DE CERA - RESINA, 110 MM X 74 M

CINTAS DE RESINA

06200GS06407	CINTAS DE RESINA, 64 MM X 74 M
06200GS08407	CINTAS DE RESINA, 84 MM X 74 M
06200GS11007	CINTAS DE RESINA, 110 MM X 74 M
05095GS06407	CINTAS DE RESINA PREMIUM, 64 MM X 74 M
05095GS08407	CINTAS DE RESINA PREMIUM, 84 MM X 74 M
05095GS11007	CINTAS DE RESINA PREMIUM, 110 MM X 74 M



IMPRESORAS INDUSTRIALES-TABLET

CINTAS DE CERA - RESINA

06100BK06045	CINTAS DE CERA - RESINA, 60 MM X 450 M
06100BK08045	CINTAS DE CERA - RESINA, 80 MM X 450 M
06100BK11045	CINTAS DE CERA - RESINA, 110 MM X 450 M
03200BK04045	CINTAS DE CERA - RESINA, 40 MM X 450 M
03200BK06045	CINTAS DE CERA - RESINA, 60 MM X 450 M
03200BK08045	CINTAS DE CERA - RESINA, 80 MM X 450 M
03200BK11045	CINTAS DE CERA - RESINA, 110 MM X 450 M
03200BK15645	CINTAS DE CERA - RESINA, 156 MM X 450 M

CINTAS DE RESINA

06200BK04045	CINTAS DE RESINA, 40 MM X 450 M
06200BK06045	CINTAS DE RESINA, 60 MM X 450 M
06200BK08345	CINTAS DE RESINA, 83 MM X 450 M
06200BK11045	CINTAS DE RESINA, 110 MM X 450 M 10% DE DESCUENTO
05095BK04045	CINTAS DE RESINA PREMIUM, 40 MM X 450 M
05095BK06045	CINTAS DE RESINA PREMIUM, 60 MM X 450 M
05095BK08345	CINTAS DE RESINA PREMIUM, 83 MM X 450 M
05095BK11045	CINTAS DE RESINA PREMIUM, 110 MM X 450 M
05095BK15445	CINTAS DE RESINA PREMIUM, 154 MM X 450 M 10% DE DESCUENTO

IMPRESORAS DE ESCRITORIO

CINTAS DE 300 metros GT800 / ZD2303

01600GT06430	Wax Ribbon, 64mmx300m, 1600; Standard, 25mm (1in) core, 24/box
01600GT08430	Wax Ribbon, 84mmx300m, 1600; Standard, 25mm (1in) core, 24/box 1 unidad UIO
02000GT06430	CINTAS DE CERA DE 64 MM X 300 M
02000GT08430	CINTAS DE CERA DE 84 MM X 300 M
02000GT11030	CINTAS DE CERA DE 110 MM X 300 M
05095GT06430	CINTAS DE RESINA PREMIUM DE 64 MM X 300 M
05095GT08430	CINTAS DE RESINA PREMIUM DE 84 MM X 300 M
05095GT11030	CINTAS DE RESINA PREMIUM DE 110 MM X 300 M

ETIQUETAS TERMICAS ZKTECO

ZK-100027478	2X1in (50.8X25.4mm (WIDTH*HEIGHT), 2374SHEETS/ROLL, 1 INCH (CORE SIZE)". 60 rollos x caja
ZK-100027694	4x2in (101.6x50.8mm) (WIDTH*HEIGHT), 1256 SHEETS/ROLL, 1 INCH (CORE SIZE)"

IMPRESORAS INDUSTRIALES-TABLET

CINTAS DE CERA - RESINA

06100BK06045	CINTAS DE CERA - RESINA, 60 MM X 450 M
06100BK08045	CINTAS DE CERA - RESINA, 80 MM X 450 M
06100BK11045	CINTAS DE CERA - RESINA, 110 MM X 450 M
03200BK04045	CINTAS DE CERA - RESINA, 40 MM X 450 M
03200BK06045	CINTAS DE CERA - RESINA, 60 MM X 450 M
03200BK08045	CINTAS DE CERA - RESINA, 80 MM X 450 M
03200BK11045	CINTAS DE CERA - RESINA, 110 MM X 450 M

ETIQUETAS TERMOTRANFERENCIA ZKTECO

ZK-100027480	2X1in(50.8X25.4mm) (WIDTH*HEIGHT), 2490SHEETS/ROLL, 1 INCH (CORE SIZE)"
ZK-100027481	4x2in (101.6x50.8mm)CM (WIDTH*HEIGHT), 1320 SHEETS/ROLL, 1 INCH (CORE SIZE)"
ZK-100027482	4x2in (101.6x50.8mm) (WIDTH*HEIGHT), 3000 SHEETS/ROLL 3 INCH (CORE SIZE)"
ZK-100027483	4x6in (101.6x152.4mm) (width*height), 1000 sheets/roll, 3 inch (core size)"



EQUIPOS MOVILES



MC330L-GE4EG4RW Gun, 802.11 a/b/g/n/ac, Bluetooth, 2D Imager SE485x Long Range, 4.0" display, 47 Key, Extended Capacity Battery, Android GMS, 4GB RAM/32GB ROM, Sensors, NFC, Rest of World



ZEB-CRD-MC33-2SUCHG-01 MC33 SINGLE SLOT USB/CHARGE CRADLE W/SPARE BTRY CHARGER. REQUIRES: LEVEL VI POWER SUPPLY PWR-BGA12V50W0WW, DC LINE CORD CBL- SPECIFIC 3 WIRE AC LINE CORD.DC-388A1-01 AND COUNTRY

ZEB-SAC-MC33-4SCHG-0

ZEB-SAC-MC33-4SCHG-0

ZEBRA EVM MC33 4-SLOT SPARE BATTERY CHARGER

ZEB-CBL-DC-388A1-01

ZEBRA EVM DC LINE CORD FOR RUNNING THE SINGLE

ZEB-23844-00-00R

ZEBRA EVM US AC LINE CORD 3 WIRE/PRONG

ZEB-PWR-BGA12V50W0WW

ZEBRA POWER SUPPLY BRICK 100-240V

ZEB-SG-MC33-RBTG-01

LA RUBBER BOOT FOR GUN MC33



ZEB-KT-TC15-ROLATAM TC15 KIT for LATAM Pantalla 6.5". Memoria 4G/64GB Flash Dual Sim Android 13 TC15 terminal, USB wall charger, US, EU and ARG plugs, USB cable BBER BOOT FOR GUN MC33

ZEB-TC210K-01A222-A6 CONNECTOR, 5MP FFC, NFC, STD BATTERY, GMS, NA WLAN, SE4710, ANDROID 10, 13MP RFC, 3GB/32GB, 2-PIN I/O

ZEB-TC26BK-11A222-A6 WWAN, SE4710, ANDROID 10, 13MP RFC, 3GB/32GB, 2-PIN I/O CONNECTOR, 5MP FFC, NFC, STD BATTERY, GMS.

ZEB-CBL-TC5X-USBC2A-01 USB C TO USB A COMMUNICATIONS AND CHARGING CABLE, 1M LONG, CAN BE USED WITH VEHICLE CRADLE # CRD-TC56-CVCD2-02

ZEB-PWR-WUA5V12W0US USB Power Supply, 100-240 VAC Input with US plug, Output = 5 V, 2.5 A

ZEB-SG-TC2Y-HSTRP1-01 TC21/TC26 Handstrap, support device with either standard or enhanced battery

ZEB-SG-TC2Y-SCRNPT1-01 TC21/TC26 Screen Protector

ZEB-BTRY-TC2Y-2XMA1-01 TC21/TC26 Extended PowerPrecision LI-ON Battery - 5260 mAh - Single

ZEB-TC520K-1PEZU4P-A6 TC52, WLAN, NFC, 5.0 4GB/32GB, 2D SE4710, 5MP Front cam, 13MP Rear Cam 3.5MM Audio Jack, 4150 MAH BATT, PTT, VOIP READY, GMS, ROW

ZEB-CBL-TC51-USB1-01 Snap-on USB Communication/Charging Cable.

ZEB-PWR-WUA5V12W0US USB Power Supply, 100-240 VAC Input with US plug, Output = 5 V, 2.5 A





EQUIPOS MOVILES



"ZEB-ET51CE-G21E-00A6

8.4" DISPLAY, ANDROID GMS, QC SD660, 4GB RAM, 32GB FLASH, WLAN ONLY, ROW, PWRS SOLD SEPARATELY"

ZEB-SG-ET5X-8RCSE2-02Rugged Frame 8

ZEB-CRD-ET5X-1SCG2

1-Slot Charge only Cradle; Requires Power Supply PWRBGA12V50W0WW, DC Cable CBL-DC-388A1-01 and 3 Wire country specific AC Line Cord sold separately

ZEB-PWR-BGA12V50W0WW

Level VI AC/DC Power Supply Brick. AC Input: 100-240V, 2.4A. DC Output: 12V, 4.16A, 50W. Requires: DC line cord and Country specific AC grounded Line Cord

ZEB-CBL-DC-388A1-01

DC Line Cord for running the single slot cradles or battery chargers from a single Level VI power supplyPWR-BGA12V50W0WW, Level VI replacement forPWRS-14000-148R

ZEB-23844-00-00R

AC Line Cord, 7.5 feet long, grounded, three wire. Associated Country: US

CABLES Y ACCESORIOS

ZEB-BTRY-MC32-52MA-0	MC3200 POWER PRECISION HIGH CAPACITY
ZEB-BTRY-TC51-43MA10	TC51/T56 SPARE BATTERY 4300 MAH
ZEB-BTRY-LS42RAA0E-01	BATTERY - DS6878/LI4278/LS4278
ZEB-BTRY-MPM-22MA1-01	2280 mAh battery for ZQ300 Series
ZEB-BTRY-MPP-34MA1-01	3250 mAh battery for ZQ610/620 and ZQ500 Series
ZEB-BTRY-MC33-52MA1	BATTERY PACK,LITHIUM ION,PP+ MC3300 HIGH CAPACITY BATTERY
ZEB-BTRY-MC33-70MA0	ZEBRA EVM MC33 RFID AND MC33X BATTERY PACK
ZEB-BTRY-MC55EAB02	MC55/MC65 EXTENDED CAPACITY SPARE
ZEB-BTRY-MC93-STN-01	ZEBRA EVM MC93 BATTERY PACK STANDARD
ZEB-CBL-DC-382A1-01	ZEBRA EVM DC LINE CORD FOR RUNNING
ZEB-CRD-ET5XSE4CO301	LA 4 SLOT CHARGE SHARECRADLE DOCK FOR ALL ET5X
ZEB-PWR-BGA12V108W0W	ZEBRA EVM LEVEL VI AC/DC POWER SUPPLY
ZEB-23844-00-00R	ZEBRA EVM US AC LINE CORD 3 WIRE/PRONG

Honeywell

EQUIPOS MOVILES



HSM-EDA5S-11AE64N21RK

EDA5s Android 11 with GSM, WWAN and WLAN, S0703 Imager, 2.0GHz 8 core, 4GB/64GB Memory, 13MP+5MP Cameras, Bluetooth 5.1, NFC, Battery 3060 mAh, USB Type C



HSM-EDA52-11AE64N21RK

EDA52 (2PIN) Android 11 with GSM, WWAN & WLAN, S0703 Imager, 2.0GHz 8 core, 4GB/64GB Memory, 13MP+5MP Cameras, Bluetooth 5.0, NFC, Battery 4500 mAh, USB Type

HSM-EDA51-SP EDA51 SCREEN PROTECTOR

HSM-EDA51-HB-1 Charging cradle for charging ScanPal EDA50/EDA50hc/ EDA51 terminal and battery. USA power cord. Compatible with scan handle, nido de carga

HSM-50141376-001 TPU, RUBBER BOOT EDA51



HSM-50141384-001 Hand Strap accessory available for EDA51

HSM-EDA71-1-B961EAGRK EDA71 / WWAN / 6703 1D/2D Imager / 4GB / 64GB / Extended Battery / 13MP Camera / 802.11abgnac / Bluetooth / Android ML GSM / ROW

HSM-EDA71-0-B741SAGRK EDA71,WLAN,3601 1D,2D IMAGER, 2GB, 32GB, STANDARD BATTERY, 13MP CAMERA, 802.11 ABGNAC,BT, ANDROID ML GSM, ROW



HSM-EDA70-HB-R EDA70/71 HomeBase Kit includes Dock, power Supply and Power Plugs for ROW, Recharging tablet

HSM-EDA70-BAT-EXT-1 Honeywell, "Latam Only", Accessory, Eda70, Eda71, Extended Battery, 8850 Mah



HSM-50129589-001

ACC,Battery(3.8V, 4,000mAh),EDA50/51/70/71,CHN

HSM-EDA70-EXT BAT DOOR Honeywell, Accessory, Eda70/Eda71 Extended Battery Door

HSM-EDA70-HS-ROT EDA70/EDA71 rotating handstrap

unitech

COMPUTO MOVIL



UNI-5000-900040G EA500 Single Slot USB cradle

UNI-3210-900007G EA500 protective case with handstrap

UNI-401588G / EA50X Screen Protector



UNI-EA520-NAGFUMDG EA520, Octa-core, Android 11, GMS certified, 4GB/64GB, 2D scan engine (SE4710), BT, WiFi, Camera, GPS, HF, NFC, with USB cable, battery, power adapter

UNI-5500-900097G EA520 gun grip

UNI-1400-900063G EA520 Battery, 3.8V 4250 mAh

UNI-3210-900031G / EA520 Boot case

UNI-3210-900032G EA520 Wearable Kit, with bracket, strap, and pad

UNI-5400-900046G EA520 Hand Strap including fixed

UNI-401621G	EA520	Glass	Screen
Protector_132.8mm_68.2mm_9H			

UNI-EA660-NA6FRMDG EA660, Rugged Smartphone, Android 13, 2D engine SE470, WLAN 6E, BT, HF, NFC, 5MP front camera, 16MP rear camera, with battery, hand strap, USB cable, and adaptor (US).

UNI-EA660-NANFRMDG EA660, Rugged Smartphone, Android 13, 2D engine SE4710, 5G & WLAN 6E, BT, NFC, GPS, 5MP front camera, 16MP rear camera, with battery, hand strap, USB cable, and adaptor (US)

UNI-5000-900070G EA630 Single Slot USB Cradle

UNI-1400-900057G EA630 Battery, 4000mAh

UNI-1400-600001G A600/EA602 4000mAH LI-ion battery pack

UNI-EA320-NALFUMRG
Computadora Móvil, Android 9, 2D, WiFi, BT, LTE and cradle"

UNI-5500-900083G EA320 Gungrip

UNI-HT630-9000BADG Terminal portátil con emulación DOS, IP54, resistente a caídas 1.2mts, procesador RISC 80MHz, 2.5MB ó 4.5MB, pantalla de cristal líquido 8x20. Incluye generador de aplicaciones JobGen Plus, batería recargable, fuente de poder y cable USB o RS232

UNI-HT380-NA61UMSG

HT380, Qcta-core 1.4GHz, Android 9, 2D, WiFi, BT, Camera, GPS, with power adaptor, cradle, Hand Strap. 3 pin cord Not included 1010-601551G



unitech

COMPUTO MOVIL



UNI-HT330-QA62UM3G, Android 12 GMS, 2D, BT, WIFI, Camera, GPS, with Battery and USB Charging Cable. No incluye power adapter (1010-900058G)



UNI-HT330-NAL2UM3G Android 12 GMS, 2D, BT, WIFI, 4G LTE, Dual SIM, Camera, GPS, No incluye power adapter (1010-900058G) with Battery, USB Charging Cable, Hand Strap con Gyroscopio, Ecompass, Light&Proximity Sensor.

UNI-HT730-NAL1UMB

HT730, Android 10, 4GB RAM / 64GB Flash, 2D Engine N6703, BT

UNI-5000-900086G HT730 Single slot charging cradle, includes Power Supply (Power cord 1010-601551G need to buy separately)

UNI-401609G HT730 screen protector glass sticker (108mm x 64mm_9H)

UNI-1400-900061G HT730 6700mAh Li-iON battery pack

UNI-1010-900058G HT730 Power adapter



UNI-PA768-QANFRMDG PA768 6.3", 6G/64G, 2D,Android 12, 2G/3G/4G/5G, WIFI6E(2.4GHz+5GHz+6GHz), Terminal w/ bumper+ Battery+ USB Cable+ QC Adapter+handstrap

UNI-1550-905908G PA760 USB 3.0 Type C Cable

UNI-TB85-0ALFUMDG

TB85, Android 8, BT+WIFI+LTE, Cam, GPS, NFC, NO engine, Terminal, Battery, USB Charging Cable, Adapter



UNI-SP320-0N50UMDG Impresora, BT, bateria de 2700mAh, con cable USB-C, fuente de poder 5V/2A (US)

HT730-ZA66UMB HT730UHF, Android 10 with GMS, 2D engine, RFID UHF (US antenna, 902-928MHz), BT, WiFi, Camera, with 38-key keypad, with battery and hand strap (Charging Accessories Not Included)

EQUIPOS PUNTO DE VENTA

PUNTO DE VENTA ANDROID IMIN / PRECIOS POR LANZAMIENTO EN ECUADOR



IMIN-SWIFT1-KT

SWIFT 1 NFC/ ANDROID 11/8-CORE/1.6GHZ/4GB+32GB/6.5"/4G/MICPHONE/SPEAKER + HANDSTRAP + PRINTER OR SCANNER Wi-Fi: 802.11 a/b/n/ac (2.4GHz/5GHz) Bluetooth 5.0, 2G/3G/4G LTE"

IMIN-SWIFT-1-PRINTER MODULO ADICIONAL: 58MM PRINTER/POGO PIN

IMIN-SWIFT-1-SCANNER MODULO ADICIONAL: SWIFT1 TOTINFO SCANNER 1D/2D



IMIN-SWIFT2 PRO: Android 13 CPU: 8-Core, Quad*A73 and Quad*A53, 2.0GHz Memory: 4GB+32GB Display: 6.5", 1600*720 Touch screen, Communications: 4G, WiFi, Bluetooth, GPS, NFC, Hardware: 0.3MP FF+5MP AF, 7.6V 3350mAh detachable Battery, High speed printing, up to 100mm/s, 58mm in width & 50mm in diameter"



IMIN-SWAN-1

SWAN 1/ ANDROID 11/4-CORE, 2.0GHZ/4GB+32GB/15.6"/FHD/SPEAKER/DP

IMIN-SWAN1-DISPLAY

SWAN 1 DISPLAY NFC/10.1" SCREEN / TOUCH / DP WITH ADJUSTABLE SCREEN CONNECTOR INCLUDED



IMIN-D3-504

D3-504/ ANDROID 11/4-CORE, 2.0GHZ/2GB+16GB/15.6"/FHD/SPEAKER



IMIN-D3-505 OS: Android 11 CPU: 4-Core, Quad*Cortex-A55, 2.0GHz Memory: 2GB+16GB Display: 15.6" 1920x1080 FHD Touch screen+10.1" 800x1280 Communications: WiFi, Bluetooth



IMIN-M2MAX

M2 MAX / ANDROID 11 GO/8-CORE, 1.8GHZ/4GB+16GB/8"/0.3MP/CAMERA/ 58MM PRINTER/7.4V 2600MAH/BATTERY/SPEAKER/DUAL NANO SIM M2 MAX LANDSCAPE BASE INCLUDED Wi-Fi: 802.11 a/b/n/ac (2.4GHz/5GHz) Bluetooth 5.0+, GPS/GSM/4G LTE"



IMIN-X1-201

X1-201/ BARCODE SCANNER/ LINUX/1.0GHZ/32M/BEEPER/0.3M/CAMERA



IMIN-FALCON-1

FALCON 1 ANDROID 11/8-CORE,2.0GHZ/2GB+16GB/10.1"+2.4"/4G/80MMPRINTER/CAMERA/4G



IMIN-FALCON-1-NFC

FALCON 1 NFC ANDROID 11/8-CORE, 2.0GHZ/4GB+32GB/10.1"+2.4"/4G/80MMPRINTER/CAMERA /4G



IMIN-D4-504

D4-504/ ANDROID 11/4-CORE, 2.0GHZ/4GB+32GB/15.6"/FHD+10.1"/ 80MM PRINTER/SPEAKER



PUNTO DE VENTA

IMPRESORAS TÉRMICAS

ZK-P8008	80mm Thermal Printer with auto-cutter, Print speed: 300mm/s TPH: 100Km, Output: DC 24V/2.5A Interface: USB+RS232 Dimension: 190*145*145mm
ZK-P8001E	80mm Thermal Printer with auto-cutter, Print speed: 300mm/s TPH: 100Km, Output: DC 24V/2.5A Interface: USB+10034973RS232+LAN Dimension: 190*145*145mm
ZK-RP-80X55	Papel print 80x42MM, 65grm
ZK-P8011C	80mm Thermal Receipt Printer with auto-cutter Scene: Kitchen printer Function: Sound and light alarm Print speed: 300mm/s TPH: 150Km Output: DC 24V/2.5A Interface: USB+LAN+RS232 Dimension: 185*145*136mm
ZK-P5803	58mm Thermal Receipt Printer Print speed: 90mm/s Output: DC 12V/3A Interface: USB (Standard) Communication : Bluetooth
ZK-P5808	58mm Portable Thermal Receipt Printer Print speed: 70mm/s TPH: 100Km Output: DC 9V/1A Built-in battery: 7.4V/1500mAh Interface: USB+232 Support Bluetooth 4.0
ZK-P8005	80mm Thermal Receipt Printer with auto-cutter Print speed: 230mm/s TPH: 100Km Output: DC 24V/2.5A Interface: USB+LAN Dimension: 192*145*133mm
ZK-A68020036	ZK-P8008 / P8001E/ P8005 / P5803 Power adapter+cord

CAJON DE DINERO

ZK-C0508	Casing: Steel construction with cold-pressed front Lock: 3 positions key lock, Cash Tray:5B8C(5 bill,8 coin) with adjustable dividers Dimensions:410W*415D*100H(mm) Port:RJ11 12V/24V
ZK-A88060029	Cash Drawer RJ11 Cable

MONITORES TOUCH DE 15", 17"

ZK-D1504	15" TFT LCD panel 1024*768 Domestic capacitive Touch Screen Folding Base, 12V 3A power supply, Projected Capacitive Screen (NO BISEL)
ZK-D1704	17" TFT LCD panel 1280*1024 Domestic Resistive Touch Screen Folding Base, 12V 3A power supply, Projected Capacitive Screen

PANTALLAS DIGITAL SIGNAGE



ZK-DS32WC 32 "Digital Signage

ZK-DS43WC 43 "Digital Signage



PUNTO DE VENTA

TERMINALES DE PUNTO DE VENTA / PC TOUCH SCREEN

ZK-BIO750	CPU: INTEL CORE I5-6200U QUAD-CORE 2.3GHZ DISPLAY: 15" HD LCD, 1024*768 TOUCH PANNEL: PROJECTED CAPACITIVE TOUCH PANNEL CUSTOMER DISPLAY: LED 8C HIGH-DIFINITION DIGITAL TUBEMEMORY: 8GB RAM (DDR4) 256GB SSD WIFI COLOUR: BLACK AND GRAY, WHITE (OPTIONAL) USB PORT: 4*USB3.0, 2*USB2.0 POWER SUPPLY: DC 12V 5A
ZK-SC01TD-W0601	CPU: INTEL CELERON J1900 QUAD-CORE @ 2GHZ DISPLAY: 15.6" HD LCD, 1024*768 TOUCH PANNEL: PROJECTED CAPACITIVE TOUCH PANNELCUSTOMER DISPLAY: LED 8C HIGH-DIFINITION DIGITAL TUBEMEMORY: 8GB RAM(DDR3) 256GB SSD COLOUR: BLACK AND GRAY,USB PORT: 2*USB3.0, 4*USB2.0 POWER SUPPLY: DC 12V 5
ZK-Bio510	15" all-in-one POS terminal, CPU: Intel Celeron J1900 2.0 GHz Quad-Core Projected Capacitive Touch Display, RAM Upgrade 8G SSD: Upgrade 128G NO OS
ZK-Bio550	15" all-in-one POS terminal, CPU: Intel Core i5-4210U 1.7Ghz, USB Port: 2*USB3.0 & 4*USB2.0 RAM Upgrade 8G, SSD: Upgrade 128G NO OS
ZK-Bio610C	15" all-in-one POS terminal, CPU: Intel Celeron J1900 2.0 GHz Quad-Core Projected Capacitive Touch Display, RAM Upgrade 4G SSD: Upgrade 128G NO OS. Supports Rack VESA
ZK-Bio950C	ALL IN ONE BIOMETRIC SMART POS TERMINAL CPU:INTEL CORE I5-4210U 1.7GHZ, NO OS, DISPLAY: 15" TFT LCD, 1024*768 RESOLUTION TOUCH PANNEL: PROJECTED CAPACITIVE TOUCH DISPLAY RAM: 8G STORAGE: 128G SSD CUSTOMER DISPLAY: LED 8C HIGH-DIFINITION DIGITAL TUBE OS: SUPPORT: POS READY7/WINDOWS EMBEDDED 8.1 INDUSTRY/WIN10 IOT ENTERPRISE USB PORT:2*USB3.0 & 4*USB2.0 POWER SUPPLY: 12V DC 5A ADAPTER
ZK-VFD01	Vacuum Fluorescent Display 2lines*20 Characters Interface:USB port
ZK-PWR BIO 510	Cable y fuente de poder para el equipo ZK-Bio550



PUNTO DE VENTA

IMPRESORAS TÉRMICAS

BEM-811084 ZK-DS32WC 32 "Digital Signage

TERMINALES DE PUNTO DE VENTA / PC TOUCH SCREEN 20% descuento

LOG-LDX1000UP-BK POLE DISPLAY, LDX1000, 9MM 2X20 USB PORT POWERED

LOG-LV5000 USB 9.7" 2nd Display Non-Touch 1024x768, with Bracket

BEM-680014 FUENTE DE PODER PARA SB1015



PUNTO DE VENTA

STAR MICRONICS, IMPRESORA DE POS

STA-SP712MC-GRAY	STAR MICRONICS SP700, MATRICIAL, NEGRA PARALELA (39330110)
STA-37999300	STAR MICRONCS SP700, MATRICIAL, NEGRA, USB, CORTADOR
STA-39339810	STAR MICRONCS SP742, MATRICIAL AUTO-CUTTER BT iOS

mPOP STAR MICRONICS (mCollection)



STA-39650211 mPOP, Black, Integrated Printer & Cash Drawer, Universal Tablet Stand, Int PS

CINTAS, FUENTES DE PODER Y ACCESORIOS

STA-RC700B CINTA PARA IMPRESORA SP700

STA-PS60-24A POWER SUPPLY FOR TSP 600, 800, 1000



PUNTO DE VENTA

STAR MICRONICS, IMPRESORA DE POS

NUEVAS IMPRESORAS MCPRIN

   	STA-39652110 mC-Print2 , Thermal, 2", Cutter, Ethernet (LAN), USB, CloudPRNT, Black, Ext PS Included NUEVO m Collection
	STA-39654110 mC-Print3 , Thermal, 3", Cutter, Ethernet (LAN), USB, CloudPRNT, Black, Ext PS Included NUEVO m Collection
	STA-39472310 IMPRESORA POS, STAR MICRONCS TSP100, TERMICA, NEGRA USB
	STA-39464910 TSP143IIILAN GY US, THERMAL PRINTER, CUTTER, ETHERNET (LAN), GREY, INTERNAL
	STA-37479001 Spare part, Head unit TSP65li, TSP100lii
	STA-39465031 BSC10UD-24 GRY US,BSC-10, térmica, cortador automático, Interfaz dual: USB/serial, gris, cable USB, fuente de alimentación incluida
	STA-39465530 BSC10, Thermal, 250mm/sec, Cutter, LAN, Gray, Ext UPS included
	STA-37969520 NUEVO Cajón de dinero Choice, negro, 16 An. x 16 Prof., control por impresora, 5 billetes/8 monedas, 2 ranuras para medios, cable incluido

ROLLOS DE PAPEL

RP-75X53	ROLLO DE PAPEL BOND 75mm x 53 mts
RP-75*75*12	ROLLO DE PAPEL QUIMICO CON UNA COPIA 75 mm x 28mts
RP-75X75X12-2	ROLLO DE PAPEL QUIMICO CON DOS COPIAS 75mm x 19mts
RP 79*75*12	ROLLO DE PAPEL TERMICO 79mm X 68mts
RP 79*120*12	ROLLO DE PAPEL TERMICO 79 mm x 120mt CONO 1 PULG
ZK-RP-80X55	ZKTECO Papel print 80x42MM, 65grm

CITIZEN *PUNTO DE VENTA*



CT-S310II-U-BK Thermal POS, CT-S310II, USB & SER, BK

CT-E351RSU-BK, THERMAL POS, CT-E351, FRONT EXIT,
SERIAL, USB, BLACK

Gainscha *PUNTO DE VENTA*



GAIN-GP-C80250I PLUS

Receipt printer DT. 203DPI, print speed 250mm/s, print width 64/72mm, Internal Ethernet, USB 2.0 Hi-Speed(480Mbps), RS-232. Optional Wi-Fi(802.11b/g/n), Bluetooth support Android and iPhone. Compatible with ESC/POS commands"

unitech *PUNTO DE VENTA*



UNI-SP320-0N50UMDG

Impresora, BT, batería de 2700mAh, con cable USB-C, fuente de poder 5V/2A (US)

SEGURIDAD



LECTORES DE HUELLA, RELOJ DE ASISTENCIA, PANELES DE FIRMAS

	SEC-EA4-0085P Secugen, Hamster Plus, finger print reader SDU03P USB Fingerprint sensor W/AUTO-ON smart capture ready for difficult fingerprints, removable weighted stand
	DP-50013-001-104 Digital Persona, U ARE U 4500, Reader, Fingerprint
	FUL-FS88H FS88 PIV FULTRONIC FS88 PIV CERTIFIED USB DESKTOP



ANTENAS AM / RF, DESACTIVADORES Y TAGS ZKTECO (NUEVO)

	ZK-EAS-AM10A/MASTER TECHNOLOGY: AM, OPERATING VOLTAGE: AC(50~60HZ)110~220V, RATED POWER: <=15W, COLOR: WHITE, CENTER FREQUENCY: 58KHZ, WORKING MODE: MONO, DETECTION RANGE:1-2.4M (DEPEND ON TAG), MATERIAL: ACRYLIC, DIMENSION : 1550X390X20 MM, PACKAGE DIMENSION: 1610*450*170MM, PACKAGE: 1PCS/CTN, WEIGHT: 22KG/CTN"
	ZK-EAS-AM10A/VICE TECHNOLOGY : AM, OPERATING VOLTAGE:AC(50~60HZ)110~220V, RATED POWER:<=15W COLOR: WHITE, CENTER FREQUENCY :58KHZ, WORKING MODE:MONO, DETECTION RANGE:1-2.4M(DEPEND ON TAG), MATERIAL : ACRYLIC, DIMENSION :1550X390X20MM, PACKAGE DIMENSION :1610*450*170MM, PACKAGE :1PCS/CTN , PACKAGE WEIGHT : 22KG/CTN"
	ZK-EAS-H30 SMALL PENCIL, FREQUENCY: 58KHZ, COLOR: BLACK, MATERIAL:ABS+MAGNETIC BAR (25MM),UNLOCKING METHOD:MAGNETIC UNLOCK DIMENSION:46X13MM; PACKING: 1000PCS/CTN, CTN SIZE: 40X30X13CM,G.W:8KGS/CTN
	ZK-EAS-D886 AM Deactivator, Color: Grey Operating Voltage: AC(50~60hz)110~220V, Material:ABS plastic+PCB board, Ctn Size:74.5X34.5X21.5CM
	ZK-EAS-CDR AM Soft Label, Frequency:58Khz, Color:White ,Material:PVC + Chip Dimension:45X11MM, Packing: 5000 pcs/ctn Size:54X30X23CM (barcode)

SEGURIDAD

ZKTeco

ANTENAS AM / RF, DESACTIVADORES Y TAGS ZKTECO (NUEVO)

	<u>ZK-EAS-H32C</u> Big Flat Pencil, Frequency: 58Khz, Color: White/Black/Gray, Material:ABS + Magnetic bar (50mm), Unlocking method: Magnetic unlock, Dimension:73X16mm, Packing: 1000pcs/ctn Size: 45X30X20CM, G.W:15kgs/ctn
	<u>ZK-RF20M</u> OPERATING VOLTAGE:AC(50~60HZ)110~220V RATED POWER:≤15W CENTER FREQUENCY:8.2MHZ SCANNING FREQUENCY:160/170/180 WORKING MODE:TX+RX MOTHERBOARD:9500 DETECTION RANGE:0.9-2.4M(DEPEND ON TAG) MAIN MATERIAL:ALUMINEM ALLOY APPEARANCE SIZE:1520*440*40MM PACKING SIZE:1630*520*190MM PACKING UNIT:2PCS/CTN PACKING G.W.:15KGS/CTN
    	<u>ZK-EAS-AMTAG9</u> FREQUENCY: 58KHZ, MATERIAL: ABS PLASTIC+MAGNETS STICK, COLOR: GREY, DIMENSION: 36*30MM, TYPE: AM TAG, LANYARD LENGTH: 25CM, PACKING UNIT: 500PCS/CTN, CTN
	<u>ZK-EAS-769B</u> RF Plastic Deactivator, Color:Black, Operating Voltage: AC(50~60hz)110~220V, Material:ABS plastic+PCB board, PAD Dimension:24.5X23.5CM, Hole Dimension: 21.5x20.5CM
	<u>ZK-EAS-D01</u> Detacher Surface: Galvanization Dimension: 70.7*23MM Magnetic: 4500GS Packing: 100pcs/ctnCtn Size:42*17*37cm G.W:18.1KGS/CTN
	<u>ZK-EAS-H22C</u> Bottle tag Frequency: 8.2MHZ COLOR:BLACK LOCK:THREE BALLS CLUTCH,STANDARD/SUPER DIMENSION: 50MM LANYARD LENGTH :20CM OR CUSTOMIZE PACKING: 500PCS/CTN CTN SIZE:48X32X33CM G.W:12.5KGS/CTN
	<u>ZK-EAS-D01</u> Detacher Surface: Galvanization Dimension: 70.7*23MM Magnetic: 4500GS Packing: 100pcs/ctnCtn Size:42*17*37cm G.W:18.1KGS/CTN
	<u>ZK-EAS-L404</u> RF Tag Label 40*40mm/ white (Box of 20 Rolls of 1000 Labels) 3"

SEGURIDAD



ZKTECO CONTROL DE ACCESO Y ASISTENCIA



ZK-LP400/ID

Fingerprint Capacity: 3000 /ID Card Capacity:10, 000 (Optional) /Record Capacity:100, 000



ZK-MB10-VL/WIFI

Terminal inalámbrica de tiempo y asistencia. Reconocimiento facial, huellas y tarjeta.

ZK-SpeedFace-V4L WIFI

Palm Capacity: 800F02030288/Display: 4" LCD Color Touch Screen/Face Capacity: 800/Card Capacity: 1,000/Transaction Capacity: 150, 000/Memory: 512MB RAM / 512MB Flash



ZK-SpeedFace-V5L WIFI

Display: 5" LCD Color Touch Screen, Face Capacity: 6,000(1:N), FingerPrint Capacity:6,000, Memory: 512M RAM / 8G ROM

ZK-SpeedFace-V5L-TI WIFI

Facial Recognition and Thermal Imaging Terminal with Mask Detection
Detection Time: ≤0.2s Measurement Distance: 30 – 120cm Display: 5" LCD Color Touch Screen



ZK-uFace800 Plus

Face capacity: 3000/Fingerprint Capacity: 4000/Palm Capacity:3000 / Card Capacity:10,000 / Communication: TCP/IP, USB-Host, Wiegand Out, WiFi (Optional), 3G



ZK-BAT-UFaceE800 Plus

ZK-TK4100D

ID Thin card 85.6*54*0.95mm Tarjeta de proximidad 125 Khz / Código oculto e impreso

SEGURIDAD



BIOTRACK, CHECK POINT

CONTROL DE ASISTENCIA Y ACCESO



CM-TK4100-SN

CR80.30, White PVC, **Blank with Serialization**, with Chip: TK4100 (código de la tarjeta oculto).

MF1ICS50-1K

Tarjeta de proximidad Mifare (1K) 13.56 Mhz

CM-65BX Cardmark, Cr8030, Consumable, Pvc Card, White, Ppfl Gq, 3.375" X 2.125", 500 Card Per Sleeve



BIOTRACK, CHECK POINT

TOPAZ SYSTEMS - PANELES DE FIRMA



TOP-T-LBK755SE-BHSB-R

TOPAZ, SIGNATURA GEM, TRANSACTION TERMINAL

TOP-T-S460-HSB-R TOPAZ, SIG LITE, TRANSACTION TERMINAL, SIG



TOP-T-LBK462-HSB-R

TOPAZ, SIGNATUREGEM LCD 1X5 (HID USB BACKLIT),ELECTRONIC SIGNATURE PAD, WITH SOFTWARE, WITH 3 YEAR FACTORY WARRANTY

UNISPOS Antennas (8.2 Mhz), ETIQUETAS DE RF Y TAGS DE BOTELLAS

UNIS-AM04	Uniscan Pos RF Single EAS Aluminum Antenna with DSP
UNIS-DEA001	Uniscan Pos, RF Deactivator
UNIS-40X40R-B	RF Barcode Label 40*40mm (Box of 20 Rolls of 1000 Labels)
UNIS-40X40R-B-1	RF Barcode Label 40*40mm (1 Rolls of 1000 Labels)
UNIS-40X30RF-B	RF Barcode Label 40*30mm (Box of 20 Rolls of 1000 Labels)
UNIS-40X30RF-B-1	RF Barcode Label 40*30mm (1 Rolls of 1000 Labels)
UNIS-PWRS-AM04	Power Supply 1100v 60Hz for Single Antenna



IMPRESORAS DE CREDENCIALES

IMPRESORAS ZC11, ZC31, ZC32

ZEB-ZC11-0000000LA00	Printer ZC100, Single Sided, Brazil Cord, USB Only
ZEB-ZC11-0000Q00LA00	Printer ZC100, Single Sided, US Cord, USB Only, Windows Driver, CardStudio 2.0 (Standard) application, 200 PVC cards, YMCKO ribbon (200 images)
ZEB-ZC31-000CQ00LA00	Printer ZC300, Single Sided, US Cord, USB & Ethernet, Windows Driver, CardStudio 2.0 (Standard) application, 200 PVC cards, YMCKO ribbon (200 images)
ZEB-ZC32-000C000LA00	Printer ZC300, Dual Sided, US Cord, USB & Ethernet
ZEB-ZC32-0M0C000LA00	Printer ZC300, Dual Sided, US Cord, USB & Ethernet, ISO HiCo/LoCo Mag S/W Selectable
ZEB-ZC32-000CQ00LA00	Printer ZC32, Dual Sided, US Cord, USB & Ethernet, Windows Driver, CardStudio 2.0 (Standard) application, 200 PVC cards, YMCKOK ribbon (200 images)

CINTAS PARA IMPRESIÓN ZC100/ZC300

ZEB-800300-301LA	Ribbon, Mono -Black, 2000 Images, ZC100/ZC300
ZEB-800300-350LA	Ribbon, Color-YMCKO, 200 Images, ZC100/ZC300
ZEB-800300-360LA	Ribbon, Color-YMCKOK, 200 Images, ZC300
ZEB-800300-562LA	Ribbon, Color-YMCPKO, 200 Images, ZC300 (Perlado)
ZEB-800300-563LA	Ribbon, Color-YMCKLL, 200 Images, ZC300 (Larga vida)
ZEB-800300-264LA	Ribbon, Color-SrDYMCKO, 200 Images, ZC300 Melizado o 3D)
ZEB-105999-310	Cleaning Card Kit, ZC100/300, 2000 Printed Cards



IMPRESORAS DE ALTA GAMA ZXP71/72/74 , ZXP9

ZEB-Z71-000C0000US00	Zebra ZXP Series 7 Single-Sided Card Printer, USB and Ethernet Connectivity
ZEB-Z71-0M0C0000US00	Zebra ZXP Series 7 Single-Sided Card Printer, Magnetic Encoder, USB and Ethernet
ZEB-Z72-000C0000US00	Zebra ZXP Series 7 Dual-Sided Card Printer, USB and Ethernet Connectivity
ZEB-Z72-0M0C0000US00	Zebra ZXP Series 7 Dual-Sided Card Printer, Magnetic Encoder, USB and Ethernet
ZEB-Z74-000C0000US00	Zebra ZXP Series 7 Dual-Sided Card Printer and Dual-Sided Laminator, USB and Ethernet
ZEB-Z74-0M0C0000US00	Zebra ZXP Series 7 Dual-Sided Card Printer and Dual-Sided Laminator, Magnetic, USB and Ethernet

CINTAS PARA IMPRESIÓN Y KITS DE LIMPIEZA

ZXP71 / 72 / 74

ZEB-800077-740	ZXP7 Series color ribbon for ZXP Series 7 YMCKO, 250 IMÁGENES
ZEB-800077-742	ZXP7 Series color ribbon for ZXP Series 7 YMCKO, 750 IMÁGENES
ZEB-800077-748	ZXP7 Series color ribbon for ZXP Series 7 YMCKOK, 250 IMÁGENES
ZEB-800077-701	ZXP7 Series monochrome ribbon for ZXP Series 7 Black, 2500 IMÁGENES
ZEB-800077-770	YMCUVK TRUE COLOURS IX SERIES COLOR RIBBON, ZXP SERIES 7 COMPATIBLE, 750 IMAGES PER ROLL, PRICED PER ROLL
ZEB-800086-003	Zebra i Series 1 mil Laminate for ZXP Series 7, Top, Holographic Wallpaper, "EAGLE" Design, 750
ZEB-800085-914	CLEAR TRUE SECURE I SERIES TOP FULL 1 MIL LAMINATE, ZXP SERIES 7 COMPATIBLE, 750 CARDS PER ROLL, PRICED PER ROLL
ZEB-800085-918	Zebra i Series 1 mil Laminate for ZXP Series 7, Bottom, Full Clear, 750 IMÁGENES
ZEB-105999-701	ZXP Series 7 Print Station Cleaning Kit (Includes 12 feeder and print path, cleaning cards for 60,000 prints)
ZEB-105999-704	ZXP Series 7 Print Station and Laminator Cleaning Kit (Includes 12 feeder, print path and laminator cleaning cards, 12 cleaning swabs, and 3 adhesive cleaning)

SOFTWARE CARD STUDIO, ACCESORIOS.

ZEB-CSR2C-SW00-E	CARD STUDIO 2.0 ID CLASICC (EMAIL)
ZEB-CSR2S-SW00-E	CARD STUDIO 2.0 ID STANDARD (EMAIL)
ZEB-CSR2E-SW00-E	CARD STUDIO 2.0 ID ENTERPRISE (EMAIL)
ZEB-CSR2P-SW00-E	CARD STUDIO 2.0 PROFESIONAL (EMAIL)
ZEB-P1031925-070	KIT PRINTHEAD ZXP3
ZEB-806503-002	CARD PUNCH, SLOTS CARD FOR LABEL CLIP

ZXP8, ZXP9

ZEB-800012-445	ZXP8 SERIES, 4 PANEL YMCK RIBBON 625 IMAGES
ZEB-800012-480	ZXP8 SERIES, 5 PANEL YMCKK RIBBON 500 IMAGES
ZEB-800012-543	Zebra i Series Color Ribbon for ZXP Series 8, 5 Panel YMCUVK, 500 images
ZEB-800012-601	ZXP8 Series Transfer Film Clear, 1250 images (single-sided), 625 images (dua
ZEB-800012-901	ZXP8 Series Monochrome Black Ribbon for ZXP Series 8, 2500 images
ZEB-800082-076	ZXP8 Series 1 mil Laminate for ZXP Series, Top, Holographic Wallpaper, "Safe", 625 cards
ZEB-800084-914	Zebra i Series 1 mil Laminate for ZXP Series 8, Top, Full Clear, 625 cards
ZEB-800084-918	ZXP8 Series 1 mil Laminate for ZXP Series, Bottom, Full Clear, 625 cards
ZEB-105999-801	Zebra ZXP Series 8 cleaning card kit (includes 12- X & Y roller cleaning cards
ZEB-105999-804	Zebra ZXP Series 8 Print Station and Laminator cleaning

SUMINISTROS Y TARJETAS PVC IMPRESORAS ZXP71, ZXP72, ZXP9

ZEB-104523-111	TARJETAS DE PVC, 30 MIL BLANK WHITE CARD, 5 PACKS DE 100
ZEB-104523-112	TARJETAS PVC, 30 MIL MAG STR LOW WHITE CARD, 5 PACKS DE 100
ZEB-104523-113	TARJETAS DE PVC, 30 MIL MAG STR HIGHT WHITE CARD, 5 PACKS DE 100
ZEB-104523-210	Zebra 10 mil PVC cards (500 per box), CR-80
ZEB-104524-101	TARJETAS DE PVC, 30 MIL COMPOSITE WHITE CARD, 5 PACKS DE 100
ZEB-104523-010	TARJETAS DE PVC ADHESIVAS, 10 MIL, 5 PACKS DE 10
ZEB-800059-102-01	TARJETAS DE PCV RFID, UHF GEN2, 30 MIL, 100 CARD
ZEB-800015-035	VARNISH OVERLAY HAND APPLIED PEEL-N-STICK GENUINE SECURE HOLOGRAM LAMINATE, 500 IMAGES, PRICED PER PACK

SUMINISTROS PARA IMPRESORAS DESCONTINUADAS ZXP1 / ZXP

ZEB-800011-140	Zebra Load-N-Go™ color ribbon for ZXP Series 1 YMCKO, 100
ZEB-800011-101	Zebra Load-N-Go™ monochrome ribbon for ZXP Series 1 Black, 1000 imágenes.
ZEB-105999-101	Zebra ZXP Series 1, Cleaning Kit, 4 print engine cleaning cards and 4 feeder cleaning
ZEB-800033-801	CINTAS XI SERIES, MONOCROMATICA FOR ZXP3, 1000 IMAGES
ZEB-800033-840	CINTAS XI SERIES, COLOR YMCKO FOR ZXP3, 200 IMAGES
ZEB-800033-848	CINTAS XI SERIES, COLOR YMCKOK FOR ZXP3, 165 IMAGES
ZEB-105999-302	Zebra ZXP Series 3, Cleaning Kit, 4 print engine cleaning cards and 4 feeder cleaning

SUMINISTROS IMPRESORAS DESCONTINUADAS P110i, P120i P330i, P430i, P520i, P640i

ZEB-800015-440	CINTAS ZEBRA YMCKO 5 PANEL COLOR i SERIES 200 IMÁGENES
ZEB-800015-448	YMCKOK 6 PANEL COLOR "i"SERIES RIBBON; 170 IMAGES - FOR P420
ZEB-800015-101	CINTAS ZEBRA BLACK MONOCROME RESIN RIBBON, 1000 IMÁGENES. i SERIES
ZEB-800017-240	YMCKO 5 PANEL COLOR RIBBON FOR P110 & 120i; 200 IMAGES
ZEB-800017-248	YMCKOK 6 PANEL COLOR RIBBON FOR P120i; 165 IMAGES
ZEB-800017-201	BLACK MONOCHROME RESIN RIBBON FOR P110i & 120i; 1000 IMAGES
ZEB-800014-941	P640i Series color ribbon 5 Panel YMCUVK, 500 images
ZEB-800014-980	I SERIES COLOR RIBBON YMCKK 500 IMAGES, P630I, P640I.
ZEB-800015-014	Zebra clear 1.0 mil laminate with full coverage, for P520C, P520i printers, 100 patches
ZEB-800015-914	Zebra 1.0 mil clear full card linerless laminate for P620, P630i, P640i printers, 600 images
ZEB-800015-802	Zebra card cleaning cartridge for P630, P640, clean up 3000
ZEB-800015-120	HOLOGRAMAS DE SEGURIDAD ZEBRA 350 IMÁGENES
ZEB-800015-032	Zebra Genuine Secure Hologram image 1.0 mil laminate, for P520C, P520i printers, 100 patches
ZEB-105912G-707	P330i, P430i CLEANING CARD KIT, LARGE CARD, BOX OF 50
ZEB-105909-169	PREMIER CLEANING, KIT 25 SWABS, 50 CLEANING CARDS P330/P430



IMPRESORAS MÓVILES DE RECIBOS Y ETIQUETAS

IMPRESORAS ZEBRA MOVILES: ZQ510, ZQ310 ZQ320, Q600

IMPRESORAS DE RECIBOS Y ETIQUETAS (fuente de poder por separado)

ZEB-ZQ31-A0E02TL-00	Printer ZQ310; Bluetooth, No Label Sensor, Outdoor Use, English, 2" ACCESORIO PARA AUTO MNT-MPM-VHDRD1-0
ZEB-PWR-WUA5V12W0US	USB Power Supply, 100-240 VAC Input with US plug, Output = 5 V, 2.5 A
ZEB-ZQ51-BUW000L-00	DT Printer ZQ511, media width 3.15"/80mm; English/Latin fonts, 802.11ac/Bluetooth 4.1, stnd battery, Latin American certs
ZEB-ZQ51-BUE000L-00	DT Printer ZQ511 media width 3.15"/80mm; English/Latin fonts, Bluetooth 4.1, stnd battery, Latin American certs
ZEB-P1031365-024	QLN AC adaptor US, QLn, 220, 320, 420
ZEB-ZQ52-BUW000L-00	DT Printer ZQ521, media width 4.45"/113mm; English/Latin fonts, 802.11ac/Bluetooth 4.1, stnd battery, Latin American certs
ZEB-ZQ52-BUE000L-00	DT Printer ZQ521 media width 4.45"/113mm; English/Latin fonts, Bluetooth 4.1, stnd battery, Latin American certs
ZEB-P1031365-024	QLN AC adaptor US, QLn, 220, 320, 420
ZEB-ZQ61-AUFAL04-00	DT Printer ZQ610 Plus 2"/48mm; English/Latin fonts,BT 4.x, Linered platen, 0.75" core, Group L, Belt clip
ZEB-ZQ61-AUWA004-00	DT Printer ZQ610 Plus 2"/48mm;English/Latin fonts,ZPL,802.11AC/BT4.X, DT/Linered Platen, 0.75" Core,English,Grouping 0,Belt Clip
ZEB-ZQ62-AUWAL04-00	DT Printer ZQ620 Plus 3"/72mm; English fonts,Dual 802.11AC / BT4.x, Linered platen, 0.75" core, Group L, Belt clip
ZEB-ZQ63-AUWA004-00	DT Printer ZQ630 Plus; English fonts,Dual 802.11AC / BT4.x, Linered platen, 0.75" core, Group 0, Belt clip
ZEB-P1031365-024	QLN AC adaptor US, QLn, 220, 320, 420



IMPRESORAS DE RECIBOS Y ETIQUETAS (fuente de poder por separado)

05555BK110D	CINTA DE CERA RESINA DE 110MM X 30M PARA LA P4T Y RP4T
RP 51X24X12	ROLLO PAPEL TERMICO IMPRESORA ZEBRA 51X24mts
ZEB-LD-R7BL5B	ROLLO DE ETIQUETAS 4000D, 5.1 X 2.5, 350 ET/ROLLO, TERMICAS
ZEB-LD-R2KH5B	ROLLO DE PAPEL 5.1 CM DE ANCHO, TERMICO
RP-76X15.5	ROLLO DE PAPEL TÉRMICO 76 mm x 15,5 mtrs (ZQ320)
RP 51X18X12	ROLLO DE PAPEL TÉRMICO 51 mm x 18 m (ZQ310)
ETN-10.2X5.1X1.2	ET. TERMICA 10.2X5.1 PARA IMPRESORA PORTATIL 230 ET/R

REPUESTOS Y ACCESORIOS PARA IMPRESORAS PORTATILES ZEBRA

ZEB-SG-MPM-SC31-01	Kit, Soft Case for ZQ320/ZQ310
ZEB-P1063406-038	KIT, Acc Soft Case, ZQ510
ZEB-BTRY-MPM-22MA1	2280 mAh battery for ZQ300 Series
ZEB-P1050667-017	KIT ACC QLn4/ZQ63 Soft case (Includes Shoulder Strap)
ZEB-P1063406-037	KIT, Acc Soft Case, ZQ520
ZEB-AK18354-1	KIT iMZ220 SOFT CASE ,ESTUCHE
ZEB-AK18435-1	KIT iMZ320 SOFT CASE ,ESTUCHE
ZEB-P1031365-024	QLN AC adaptor US, QLn, 220, 320, 420 / ZQ600
ZEB-RK18404-001	MZ220 PRINthead
ZEB-BTRY-MPP-34MA1-01	KIT ACC ZQ511 / 521 / 610 / 620 SPARE SMART BATTERY
ZEB-PWR-WUA5V12W0US	USB Power Supply, 100-240 VAC Input with US plug, Output = 5 V, 2.5 A
ZEB-MNT-MPM-VHDRD1-0	Vehicle holder for ZQ300 Series; attaches to dashboard

**Honeywell****IMPRESORAS HONEYWELL PORTATILES**

HSM-MPD31D1123
MOBILE PRINTER, US AC ULTIMAS UNIDADES

**IMPRESORAS STAR PORTATIL**

STA-39633200 Star Micronics, Mobile Printer, SM-L300-UB57, SM-L300, Portable Thermal 3", Receipt/Restick/Label, Tear Bar, Bluetooth3.0/BLE/USB, Black, No MSR, Belt Clip/Battery/USB cable included, USB AC adapter needed



KIOSKOS Y AUTO CONSULTA



MONITORES AUTOCONSULTA

	E461790 (Price chek) Elo I-Series 3.0 STANDARD, Android 8.1 with Google Play Services, 10.1-inch, HD 1280 x 800 display, ARM A53 2.0 GHz Octa-Core Processor, 3GB RAM, 32GB Flash, PCAP 10-touch, Clear, Wi-Fi, Ethernet, Bluetooth 4.1, EloView, compatible, Black, Worldwide.
	E462589 Elo I-Series 3.0 STANDARD, Android 8.1 with Google Play Services, 21.5-inch Full HD 1920 x 1080 IPS display, ARM A53 2.0 GHz Octa-Core Processor, 3GB RAM, 32GB Flash. PCAP 10-touch, Clear, Wi-Fi, Ethernet, Bluetooth 4.1, EloView compatible, Black, Worldwide.
	E850387 Elo I-Series 2.0, No OS, 21.5-inch wide, Full HD 1920 x 1080 display, Core i3, 8GB RAM, 128GB SSD, Projected Capacitive 10-touch, Clear, Wi-Fi, Ethernet, Bluetooth 5.0, Black, Worldwide.
	E926356 Lector de Código de Barras ELO-KIT, 2DBCR, USB, N3680 / , 2D, (based on the N3680 engine) for I-Series (Android and Windows), X-Series -02 Series Monitors and -02 Series IDS.
	E796965 Wallaby self-service floor stand top. Supports Epson or Star printers and 15-inch or 22-inch I-Series (Note: complete self-service floor stand requires floor base part E797162 sold separately).
	E797162 Wallaby self-service floor base (requires floor top E796965 for complete self-service floor stand).
	E143088 KIT, WALL MOUNT, ESYxx EX-Series / Wall mount for E-/I-/X-Series Intel/Windows based all-in-one touch computers



KIOSKOS Y AUTO CONSULTA



IMPRESORA KIOSKO ZEBRA KR403 ACCESORIOS

ZEB-01970-080-3	Paper Guide 80 mm
ZEB-01970-082-2	Paper Guide 82 mm
ZEB-P1021952-001	KR403/KR203 Accessory Kit Universal Roll Holder - US plug
RP 79X120X12	Rollo de papel térmico 79mm X120mts para KR403



KIOSKOS, CONSULTA DE PRECIOS

 	CC6000-10-3200LCWW NG Concierge, 10 inch, Android OS, 32GB, Landscape, Imager, WW config
	CBL-DC-383A1-01 DC Line Cord for Running Single Slot Cradles or Charging Cables
	PWR-BUA5V16W0WW Level VI AC/DC Power Supply Brick AC Input
	50-16000-182R AC Line Cord, 6ft. (1.8m) Un-Grounded, Two Wire.
	CC600-5-3200LNWW NG Concierge, 5 inch, Android OS, 32GB, Ethernet/WIFI, Imager, WW config



IMPRESORAS TERMICAS DE KIOSKO

STA-IFBDHC04	Tarjeta de interfase paralela
STA-39607910	Tarjeta de interfase USB
STA-PS60-24A	Power supply for TSP 600, 800, 1000
STA-37963774	SK1, KIOSK 3", PRESENTER, USB/SERIAL, EXT PS NEEDED
STA-37963360	CB-SK1-D3 POWER CABLE, SK1, POWER CABLE ADAPTER TO PS-60 POWER SUPPLY, NCNR
STA-30782110	PS60A-24C US, UNIVERSAL 24VDC OUTPUT POWER SUPPLY



PANTALLAS DIGITAL SIGNAGE IMPRESORAS TERMICAS

ZK-DS32WC	32 "Digital Signage
ZK-DS43WC	43 "Digital Signage



IMPRESORAS DE BRAZALETES

NUEVO ZD510 BRAZALETES ZEBRA

ZEB-ZD51013-D01E00FZ	NUEVA ZD510ZPL II, XML, 300 dpi, US Cord, USB, USB Host, Ethernet, BTLE
ZEB- P1100266-003	300dpi Printhead for the ZD510 Healthcare Wristband Printer
ZEB- P1100266-008	Platen Roller 300dpi Healthcar

BRAZALETES PARA LA HC100 - Z-Band Direct

10006995K	Polypropyleno Térmico Blanco, 1 x 11in, Z-Band Direct, 200 brazaletes por cartucho / 6 car x caja.
10006999K	Pediatric, Polypropyleno Térmico Blanco, 1 x 7in, Z-Band Direct, 300 brazaletes por cartucho / 6 car x caja.
10006998K	Infant, Polypropyleno Térmico Blanco, 1 x 6in, Z-Band Direct 350 brazaletes por cartucho / 6 car x caja
10006995-3K	Polypropyleno Térmico Verde , 1 x 11in, Z-Band Direct, 200 brazaletes por cartucho / 6 cartuchos por caja
10010951-2K	Wristband, Polypropylene, 1 x 11in, Direct Thermal, Z-Band Comfort, Blue , Cartridge, 6 Rolls/Carton
10010951-1K	Wristband, Polypropylene, 1 x 11in, Direct Thermal, Z-Band Comfort, Red , Cartridge, 6 Rolls/Carton
10010951-7K	Wristband, Polypropylene, 1 x 11in, Direct Thermal, Z-Band Comfort, Yellow , Cartridge, 6 Rolls/Carton

IMPRESORAS DE BRAZALETES

Z-Band Splash

10012717-3K	Polypropyleno Azul , 1 x 10in, Direct Thermal, Z-Band Splash, 350 brazaletes por cartucho / 6 car x caja
10012717-6K	Polypropyleno Naranja , 1 x 10in, Direct Thermal, Z-Band Splash, 350 brazaletes por cartucho / 6 car x caja

Z-Band UltraSoft

10015355K	Polypropylene, 1 x 11in, Direct Thermal, Z-Band UltraSoft, 175 brazaletes por cartucho / 6 car x caja
------------------	---



EQUIPOS Y SUMINISTROS RFID

EQUIPOS Y ACCESORIOS DE RFID - IMPRESORAS RFID



ZEB-ZD6A142-301FR2EZ

Thermal Transfer Printer (74/300M) ZD621R, Color Touch LCD; 203 dpi, USB, USB Host, Ethernet, Serial, BTLE5, ROW, RFID - UHF, US Cord, Swiss Font, EZPL

ETIQUETAS DE RFID

ZEB-10026645	Label, Paper, 4x6in (101.6x152.4mm); TT, Z-Perform 1500T, Coated, Permanent Adhesive, 3in (76.2mm) core, RFID, 800/roll, 1/box
ZEB-10026646	Label, Paper, 4x6in (101.6x152.4mm); TT, Z-Perform 1500T, Coated, Permanent Adhesive, 3in (76.2mm) core, RFID, 200/roll 1/box
ZEB-10026644	Label, Paper, 4x2in (101.6x50.8mm); TT, Z-Perform 1500T, Coated, Permanent Adhesive, 3in (76.2mm) core, RFID, 1500/roll 1/box
ZEB-10026647	Label, Paper, 4x2in (101.6x50.8mm); TT, Z-Perform 1500T, Coated, Permanent Adhesive, 3in (76.2mm) core, RFID, 500/roll 1/box

LECTORES, ANTENAS Y ACCESORIOS RFID

ZEB-FX7500-42320A50-US	Radio, FX7500:RFID reader,4 port, GEN2, US
ZEB-FX9600-42320A50-US	FX9600 Fixed RFID Reader - 4-PORT, POE, US only
ZEB-PWR-BGA24V78W1W	Power supply, Fixed RFID Reader, DC Cable included, -20C TO +55C
ZEB-AN480-CL66100WR	AN480 Antenna: 1 Port, General Purpose, Wide-Band-Left, Pig-Tail, Left-Hand Circular Polarization, RoHS. (Worldwide)
ZEB-AN480-CR66100WR	AN480 Antenna: 1 Port, General Purpose, Wide-Band-Right, Pig-Tail, Right Hand Circular Polarization, RoHS. (Worldwide)
ZEB-CBLRD-1B4002400R	RF Cable 240" ; Cable Type LMR 240
ZEB-CBLRD-1B4001800R	RF Cable 180" ; Cable Type LMR 240
ZEB-CBLRD-1B4000680R	RF Cable 68" ; Cable Type LMR 240
ZEB-BRKT-70661-01R - KIT	Standard Mount for AN400 and AN480 Antenna
ZEB-BRKT-70662-01R - KIT	Heavy Duty 16? Mount Bracket for AN400 and AN480 Antenna



EQUIPOS Y SUMINISTROS RFID

EQUIPOS MOVILES RFID

   	ZEB-TC210K-01A423-A6 WLAN, GMS, SE4710, NFC, 4GB/64GB, 13 MP RFC, 5 MP FFC, 8-pin connector, Basic Battery, ROW
	ZEB-RFD4030-G00B700-WR RFD40, Standard, Standard Range Circular Polarized Antenna, UHF RFID Only, Gun, No Imager, 7000mAh Battery, Midnight Black, 900MHz Worldwide
	ZEB-CRD1S0T-RFD40-TC2X-CHG-1R RFD40, 1 Device Slot/0 Toaster Slots, Charge Only Cradle with support for TC21/26. Requires Power Supply (PWR-BGA12V50W0WW), DC Line Cord (CBL-DC-388A1-01), and Country Specific Line Cord.
	ZEB-ADP-RFD40-TC2X-1E RFD40 Sled eConnex Adaptor for TC21/26
	ZEB-PWR-BGA12V50W0WW Power Supply Brick. AC Input: 100-240V C Input: 100-240V, 2.4A. DC Output: 12V, 4.16A, 50W. Requires: DC line cord and Country specific AC grounded Line Cord
	ZEB-CBL-DC-388A1-01 DC Line Cord for running the single slot cradles or battery chargers
	ZEB- 23844-00-00R AC Line Cord, 7.5 feet long, grounded, three wire. Associated Country: US
	ZEB-RFD4031-G00B700-WR RFD40, Premium, Standard Range Circular Polarized Antenna, UHF RFID, Bluetooth, WiFi, Gun, No Imager, 7000mAh Battery, Midnight Black, 900MHz Worldwide
	ZEB-ADP-RFD40-TC2X-1R RFD40 Sled Bluetooth Adaptor for TC21/26



EQUIPOS Y ACCESORIOS DE RFID

LECTORES Y EQUIPOS MOVILES RFID

	UNI-RP902-43A8S0G UHF RFID Reader , Wireless, Pocket, 902-928 MHz (N.America), UHF, AMS AS3993, America, USB+BT, 1M, 0 ports, Green Product.
	UNI-HT730-ZA66UMBG HT730UHF, Android 10 with GMS, 2D engine, RFID UHF (US antenna, 902-928MHz), BT, WiFi, Camera, with 38-key keypad, with battery and hand strap (Charging Accessories Not Included)

ANTENAS RFID

  	UNI-RS200-75G5S2G RFID Reader_865-928 MHz (Global UHF)_M6e Micro / Non_Global_USB + UART_Stationary Standard_Two ports_Greenmicro USB, Terminal block.
	UNI-4060-900011G RS200 8dBi Antenna for US 902-928MHz (replace 205367G)
	UNI-1550-900102G RS200 3m SMA RF cable
	UNI-1010-900007G Input: 100~240V, Output:12V 2A, Switching adapter
	UNI-1010-601551G Power Cord

GRACIAS POR CONFIAR EN

NIBI Studios Interactive Solutions

PARA SUS COMPRAS Y PROYECTOS